BIDDING DOCUMENT FOR

Supply & Installation of Plumbing & Sanitary Fixtures and Fittings for Thimphu Corporate Building Construction Project.



Tender No:-TCO/BoBL-HQ/TENDER/P&S /2018/09

November, 2018

Table of Contents

Table of Contents	ii
Section I. Instructions to Bidders (ITB)	1
Section II. Bidding Data Sheet	
Section III. Eligible Countries	
Section IV. Forms of Bid, Qualification Information, Letter of Acceptance, and Contract	
1. Contractor's Bid	26
2. Qualification Information and Evaluation Table	
3.Letter of Acceptance	
4. Contract	
Section V. General Conditions of Contract (GCC)	
Notes on General Conditions of Contract	32
Table of Clauses	
A. General	35
B. Time Control	
C. Quality Control	44
D. Cost Control	
E. Completion of the Contract	
Section VI. Special Conditions of Contract	
Section VII Technical Specifications and Performance Requirements	
A. Summary	
B. References	
C. Quality Assurance.	
D. Delivery, Storage, and Handling	
E. Preparation	
F. Site Visit G. Application	
H. Cleaning	
I. Warranty/Defect Liability Period	
J. General	
K. Technical Bid	
Section VIII. Drawings	
Section X. Bill of Quantities	
Section XI. Security Forms	93
Notes on Forms of Securities	
Form of Bid Security (Bank Guarantee)	
Performance Demand Bank Guarantee	
Bank Guarantee for Advance Payment	96

Section I. Instructions to Bidders (ITB)

Notes on the Instructions to Bidders

This section of the Bidding Documents should provide the information necessary for Bidders to prepare responsive Bids, in accordance with the requirements of the Employer. It should also give information on Bid submission, opening and evaluation, and on the award of Contract.

Matters governing the performance of the Contractor, payments under the Contract, or matters affecting the risks, rights and obligations of the parties under the Contract are not normally included in this Section, but rather under Section V, General Conditions of Contract and/or Section VI, Special Conditions of Contract. If duplication of a subject is inevitable in the different sections of the documents, care must be exercised to avoid contradictions between clauses dealing with the same matter.

These Instructions to Bidders shall not be part of the Contract and shall cease to have effect once the Contract is signed.

Table of Clauses

A. General	
3. Eligible Bidders	
4. Qualifications of the Bidder	
5. One Bid per Bidder	
6. Cost of Bidding	
7. Site Visit	
B. Bidding Documents	
8. Content of Bidding Documents	
9. Clarification of Bidding Documents.	
10. Amendment of Bidding Documents	
C. Preparation of Bids	
 Language of Bid Documents Comprising the Bid 	. 10
13. Bid Prices	
14. Currencies of Bid and Payment	
15. Bid Validity	
16. Bid Security	
17. Alternative Proposals by Bidders	
18. Format and Signing of Bid	
D. Submission of Bids	
19. Sealing and Marking of Bids	
20. Deadline for Submission of Bids	
21. Late Bids	
22. Withdrawal, Substitution and Modification of Bids	14
E. Bid Opening and Evaluation	15
23. Bid Opening	15
24. Confidentiality	
25. Clarification of Bids	16
26. Examination of Bids and Determination of Responsiveness	
27. Correction of Errors	
28. Currency for Bid Evaluation	
29. Evaluation and Comparison of Bids	
30. Preference for Domestic Bidders	
F. Award of Contract	
31. Award Criteria	
32. Employer's Right to Accept any Bid and to Reject any or all Bids	
33. Notification of Award and Signing of Contract.	
34. Performance Security	
35. Advance Payment and Security36. Adjudicator	
	20

Instructions to Bidders (ITB)

A. General

- The Employer as defined in Section II, Bidding Data Sheet (BDS), 1.1 1. Scope of Bid and invites Bids for the construction of Works, as described in the BDS and Source of Funds Section VI, Special Conditions of Contract (SCC). The name and identification number of the Contract is provided in the BDS and the SCC. 1.2 The successful Bidder will be expected to complete the Works by the Intended Completion Date specified in the Special Conditions of Contract. 1.3 The Employer as defined in section II, Bidding Data Sheet (BDS) has received a budget or have provision towards the cost of the Project defined in the BDS and intends to apply a part of the funds to cover eligible payments under the contract for this works. 2. Fraud and Corruption 2.1 It is Bank's policy to require that Employers, Bidders, Suppliers, Contractors and their Subcontractors observe the highest standards of ethics during the procurement and execution of contracts. In pursuance of this policy, the Bank: defines, for the purposes of this provision, the terms set forth below (a) as follows: (i) "corrupt practice is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party; (ii) "fraudulent practice is any intentional act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation; (iii) "collusive practice is an arrangement between two or more parties designed to achieve an improper purpose, including
 - (iv) "coercive practice is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;

to influence improperly the actions of another party;

(v) "obstructive practice" is

- (aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede any investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
- (bb) acts intended to materially impede the exercise of the

			organization or person appointed by the Employer and/or any relevant RGoB agency provided for under ITB Sub-Clause 3.2 (d) below.
		(b)	will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for the contract in question.
		(c)	will sanction a firm or individual, including declaring them ineligible, either indefinitely or for a stated period of time, to be awarded a contract if it at any time determines that they have, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for, or in executing contract;
		(d)	will have the right to require that a provision be included in Bidding Documents and in contracts, requiring Bidders, Suppliers, Contractors and their Subcontractors to permit the Employer, any organization or person appointed by the Employer and/or any relevant RGoB agency to inspect their accounts and records and other documents relating to the Bid submission and contract performance and to have them audited by auditors appointed by the Employer;
	and att Section	tach to n IV, E	s that Bidders, as a condition of admission to eligibility, execute their bids an Integrity Pact Statement in the form provided in Bidding Forms. Failure to provide a duly executed Integrity Pact all result in disqualification of the Bid; and
	obstrue the An	ctive p ti-Cor	port any case of corrupt, fraudulent, collusive, coercive or oractice to the relevant RGoB agencies, including but not limited to ruption Commission (ACC) of Bhutan, for necessary action in with the statutes and provisions of the relevant agency.
	2.2 Sub-C		thermore, Bidders shall be aware of the provision stated in GCC 59.1
3. Eligible Bidders		nation provis to hav constit the pro- to the	der, and all parties constituting the Bidder, shall have the nality as specified in the Section II Bid Data Sheet & subject to the sions of Section III, Eligible Countries. A Bidder shall be deemed re the nationality of a country if the Bidder is a citizen or is tuted, incorporated, or registered and operates in conformity with ovisions of the laws of that country. This criterion shall also apply determination of the nationality of proposed subcontractors or ters for any part of the Contract including related services.
		confli	der shall not have a conflict of interest. All Bidders found to have ct of interest shall be disqualified. Bidders may be considered to a conflict of interest with one or more parties in this bidding ss, if:

- (a) they have at least one controlling partner in common; or
- (b) they receive or have received any direct or indirect subsidy from

inspection and audit rights of the Employer or any

either party; or

- (c) they have the same authorized legal representative for purposes of this Bid; or
- (d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or
- (e) a Bidder participates in more than one Bid in this bidding process. Participation by a Bidder in more than one Bid shall result in the disqualification of all Bids in which such Bidder is involved. However, this does not limit the inclusion of the same subcontractor in more than one Bid; or
- (f) a Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Works that are the subject of the Bid or in any other way provided consulting services in any aspect of the preparatory stages leading up to the issue of these Bidding Documents; or
- (g) a Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Employer as Project Manager for the Contract implementation; or
- (h) a Bidder or any of its affiliates employs or otherwise engages a close relative of a civil servant who either is employed by the Employer or has an authority over the bidder or its affiliates or over the bid. For the purposes of this Sub-Clause a close relative is defined as immediate family which includes father, mother, brother, sister, spouse and own children.
- 3.3 A Bidder that is determined to be ineligible pursuant to any of the provisions of this Bidding Document shall not be eligible to be awarded a Contract.
- 3.4 Government-owned enterprises in Bhutan shall be eligible only if they can establish that they (i) are legally and financially autonomous, (ii) operate under commercial law, and (iii) are not a dependent agency of the Employer.
- 3.5 Bidders shall provide such evidence of their continued eligibility satisfactory to the Employer as the Employer shall reasonably request.
- 3.6 A firm shall be excluded if:
 - (a) as a matter of law or official regulation, Bhutan prohibits commercial relations with the country in which the firm is constituted, incorporated or registered; or
 - (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Bhutan prohibits any import of goods or contracting of Works or services from that country in which the firm is constituted, incorporated or registered or any payments to

persons or entities in that country.

3.7 A Bidder shall also be excluded if:

	5.7	
	of b	 (a) he is insolvent or is in receivership or is a bankrupt or is in the process eing wound up, or has entered into an arrangement with his creditors; or (b) his affairs are being administered by a court, judicial officer or appointed liquidator; or
		(c) he has suspended business or is in any analogous situation arising from similar procedures under the laws and regulations of his country of establishment; or
		 he has been found guilty of professional misconduct by a recognized inal or professional body; or (e) he has not fulfilled his obligations with regard to the payment of taxes, social security or other payments due in accordance with the laws of the country in which he is established or of the Kingdom of Bhutan; or
		(f) he is or has been guilty of serious misrepresentation in supplying information required for any prior registration with the Employer or the Construction Development Board of Bhutan; or
		(g) he has been convicted of fraud and/or corruption by a competent authority; or
		(h) he has not fulfilled his contractual obligations with the Employer in the past; or
		(j) he has been debarred from participation in public procurement by any competent authority as per law.
4. Qualifications of the Bidder	4.1	All Bidders shall provide in Section IV, Forms of Bid, Qualification Information, Letter of Acceptance, and Contract, a preliminary description of the proposed work method and schedule, including drawings and charts, as necessary.
	4.2	In the event that pre-qualification of potential Bidders has been undertaken, only Bids from pre-qualified Bidders shall be considered for award of Contract. These qualified Bidders should submit with their Bids any information updating their original pre-qualification applications or, alternatively, confirm in their Bids that the originally submitted pre- qualification information remains essentially correct as at the date of Bid submission. The update or confirmation should be provided in Section IV.
	4.3	If the Employer has not undertaken pre-qualification of potential Bidders, all Bidders shall include the following information and documents with their Bids in Section IV, unless otherwise stated in the BDS:
		 Legal status: copies of original documents defining the constitution or legal status, place of registration, and principal place of business of the Bidder; written power of attorney of the signatory of the Bid to commit the Bidder;

- (b) **General work experience:** annual turnover for each of the last three (3) calendar years for construction works;
- (c) Similar work experience: experience in works of a similar nature

and size for each of the last five (5) calendar years, and details of work under way or contractually committed; and clients who may be contacted for further information on those contracts;

- (d) **Equipment:** list of construction equipment owned by the Contractor and those proposed to be hired to be used for implementation of the Contract;
- (e) **Manpower:** qualifications and experience of key site management and technical personnel proposed for this Contract. A person having a valid contract license cannot be an employee of any bidder
- (f) **Performance of previous work:** performance score card issued by the Procuring Agencies for works done in the last five (5) calendar years;
- (g) **Financial capacity:** evidence of adequacy of working capital for this Contract (access to line(s) of credit);
- (h) **References:** authority to seek references from the Bidder's bankers;
- (i) Litigation: information regarding any litigation, current or during the last five (5) years, in which the Bidder was/is involved, the parties concerned, and the disputed amounts; and awards. A consistent history of litigation or arbitration awards against the Applicant or any partner of a JV/C/A may result in disqualification ;
- (j) Subcontracting: proposals for subcontracting components of the Works amounting to more than twenty percent (20%) of the Contract Price. The ceiling for subcontractors' participation is stated in the BDS.
- 4.4 Bids submitted by a Joint Venture, Consortium or Association (JV/C/A) of two or more firms as partners shall comply with the following requirements, unless otherwise stated in the BDS:
 - (a) the Bid shall include all the information listed in ITB Sub-Clause 4.3 above for each JV/C/A partner;
 - (b) the Bid shall be signed so as to be legally binding on all partners;
 - (c) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
 - (d) one of the partners shall be nominated as being in charge, authorized to incur liabilities, and receive instructions for and on behalf of any and all partners of the JV/C/A;
 - (e) the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge; and
 - (f) a copy of the JV/C/A Agreement entered into by the partners shall be submitted with the Bid; or a Letter of Intent to execute a JV/C/A Agreement in the event of a successful Bid shall be signed by all partners and submitted with the Bid, together with a copy of the

proposed Agreement.

- 4.5 To qualify for award of the Contract, Bidders shall be evaluated against the following technical qualifying criteria and scores awarded accordingly:
 - (a) Similar works experience : aggregate size of similar works (maximum three) or size of the largest similar work in the last five (5) calendar years;
 - (b) Access to adequate equipments: list of construction equipment owned by the Contractor and those proposed to be hired to be used for implementation of the Contract against the prescribed list specified in the BDS;
 - (c) Availability of skilled manpower: availability of skilled and experienced manpower required for the timely and quality execution of the work against the list of manpower with the desired qualification and experience specified in the BDS in the BDS;
 - (d) Average performance score from the previous works carried out in the last five (5) calendar years;
 - (e) Bid capacity of the contractor against the quoted bid calculated using the following formula:

Bid Capacity = 2 * A * N - B

Where A= Average turnover of the Contractor over the last 3 calendar years

- N= Estimated duration of the Project to be tendered
- B= Portion of other ongoing Works to be completed in the period that overlaps with the current project's duration (that is N and
- (f) Credit line available for this contract.
- 4.6 In the case of joint ventures, the individual credentials of the joint venture partners need to be averaged using their stake in the JV for the purpose of evaluation under the parameters of Similar work experience, performance score from previous work, Bid Capacity and Credit line available. For the parameters of equipment, manpower, Status, Employment of VTI/skilled local labourer and Internship to VTI, the resources or information committed / provided by the JV as a single entity will be considered for award of points.
- 4.7 Domestic bidders and joint ventures, consortia or associations of domestic bidders who may be eligible for a margin of preference in Bid evaluation shall supply all information to satisfy the criteria for eligibility as described in ITB Clause 3 of these Instructions to Bidders.

4.8 Financial bids of only those Bidders who meet the minimum technical score specified in the BDS will be considered for award of the work.

5. One Bid per Bidder 5.1 Each Bidder shall submit only one Bid, either individually or as a partner in a JV/C/A. A Bidder who submits or participates in more than one Bid (other than as a subcontractor or in cases of alternatives that have been

		permitted or requested) shall cause all the proposals with the Bidder's participation to be disqualified.
6. Cost of Bidding	6.1	The Bidder shall bear all costs associated with the preparation and submission of his Bid, and the Employer shall in no case be responsible or liable for those costs.
7. Site Visit	7.1	The Bidder, at the Bidder's own responsibility and risk, is encouraged to visit and examine the Site of Works and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.

B. Bidding Documents

8. Content of	8.1		ng Documents comprises the documents listed in the table
Bidding		below and adder	nda issued in accordance with ITB Clause 10:
Documents		Section I:	Instructions to Bidders
		Section II:	Bidding Data Sheet
		Section II.	Eligible Countries
		Section IV:	Forms of Bid, Qualification Information and Evaluation Table, Letter of Acceptance, and Contract
		Section V:	General Conditions of Contract
		Section VI:	Special Conditions of Contract
		Section VII:	Specifications and Performance Requirements
		Section VIII:	Drawings
		Section IX:	Bill of Quantities- This (or the Activity Schedule in the case of lump sum Contracts) comprises a paper hard copy and an electronic copy on CD-ROM.
		Section X: Form	s of Securities and Invitation for Bids
9. Clarification of Bidding Documents	9.1	may notify the E electronic mail, Employer shall if fifteen (15) days Employer's resp Documents, incl source. Should t the Bidding Doc following the pr	idder requiring any clarification of the Bidding Documents Employer in writing, including by cable, facsimile, telex or at the Employer's address indicated in the BDS. The respond to any request for clarification received earlier than prior to the deadline for submission of bids. Copies of the onse shall be forwarded to all purchasers of the Bidding uding a description of the inquiry, but without identifying its he clarification result in changes to the essential elements of suments, the Employer shall amend the Bidding Documents, ocedure in ITB Clause 10 and ITB Sub-Clause 20.2.
	9.2		official representative is invited to attend a pre-bid meeting, place at the place and time stated in BDS.
	9.3		he meeting will be to clarify issues and to answer questions on may be raised at that stage.
	9.4		uested to submit any questions in writing or by facsimile or e Employer not later than one week before the meeting.
	9.5	Minutes of the m	eeting, including the text of the questions raised

	9.6	 (without identifying the source of inquiry) and the responses given will be transmitted without delay to all purchasers of the bidding documents. Any modification of the bidding documents listed in Sub-Clause 9.1 which may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an Addendum pursuant to Clause 10 and not through the minutes of the pre-bid meeting. Non-attendance of the pre-bid meeting will not be a cause for disqualification of a bidder.
10. Amendment of Bidding	10.1	Before the deadline for submission of Bids, the Employer may modify the Bidding Documents by issuing addenda.
Documents	10.2	Any addendum thus issued shall be part of the Bidding Documents, shall be binding on all Bidders and shall be communicated in writing, including by cable, facsimile, telex or electronic mail, to all purchasers of the Bidding Documents. Prospective Bidders shall acknowledge receipt of each addendum in writing, including by electronic mail, to the Employer.
	10.3	To give prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Employer shall extend, as necessary, the deadline for submission of Bids, in accordance with ITB Sub-Clause 20.2 below.

C. Preparation of Bids

11. Language of Bid	11.1	All do BDS.	ocuments relating to the Bid shall be in the language specified in the
12. Documents	12.1	The B	id submitted by the Bidder shall comprise the following:
Comprising the Bid		(a)	The Bid form (in the format indicated in Section IV – Forms of Bid, Qualification Information, Letter of Acceptance, and Contract);
		(b)	Bid Security in accordance with Clause 16;
		(c)	Priced Bill of Quantities - this must be submitted in paper form, signed by the duly authorized signatory of the Bidder, and also in electronic form on CD-ROM, if required by the Employer;
		(d)	Qualification Information Form and Documents;
		(e)	Integrity Pact Statement
		(f)	Alternative offers where invited;
			ny other materials required to be completed and submitted by Bidders, as ied in the BDS.
13. Bid Prices	13.1		ontract shall be for the whole Works, as described in ITB Sub-Clause ased on the priced Bill of Quantities submitted by the Bidder.
	13.2	the Bi shall r covere	idder shall fill in rates and prices for all items of the Works described in ll of Quantities. Items for which no rate or price is entered by the Bidder not be paid for by the Employer when executed and shall be deemed ed by the other rates and prices in the Bill of Quantities. Corrections, if hall be made by crossing out, initialing, dating and rewriting.

14. Currencies of

Bid and Payment

- 13.3 The Bidder shall quote its final all-inclusive net price, including all incidental costs, for carrying out the Contract. All duties, taxes and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Bids, shall be included in the rates, prices and total Bid price submitted by the Bidder.
- 13.4 The rates and prices quoted by the Bidder shall be subject to adjustment during the performance of the Contract if provided for in the BDS and the SCC and the provisions of GCC Clause 47 of the General Conditions of Contract. The Bidder shall submit with the Bid all the information required under the SCC and GCC Clause 47 of the General Conditions of Contract.
- 14.1 The unit rates and prices shall be quoted by the Bidder entirely in Ngultrum (Nu). Foreign currency requirements shall be indicated as a percentage of the Bid price (excluding provisional sums) and shall be payable at the option of the Bidder in up to three foreign currencies.
 - 14.2 The rates of exchange to be used by the Bidder in arriving at the local currency equivalent and the percentage(s) mentioned in ITB Sub-Clause 14.1 above shall be the selling rates for similar transactions established by the authority specified in the BDS prevailing on the date 30 days prior to the latest deadline for submission of Bids. These exchange rates shall apply for all payments so that no exchange risk shall be borne by the Bidder. If the Bidder uses other rates of exchange, the provisions of ITB Clause 28.1 shall apply. In any case, payments shall be computed using the rates quoted in the Bid.
 - 14.3 Bidders shall indicate details of their expected foreign currency requirements in the Bid.
 - 14.4 Bidders may be required by the Employer to clarify their foreign currency requirements and to substantiate that the amounts included in the rates and prices, if required in the BDS, are reasonable and responsive to ITB Sub-Clause 14.1.
 - 14.5 In case of International Procurement from countries other than India, the procuring agency may invite bids in convertible currencies. The bids shall however, be evaluated in accordance with Sub-Clause 14.2 above, but the payment shall be made in the currency of bid.
- **15. Bid Validity** 15.1 Bids shall remain valid for the period specified in the BDS.
 - 15.2 In exceptional circumstances, the Employer may request that the Bidders extend the period of validity for a specified additional period. The request and the Bidders' responses shall be made in writing or by electronic mail. The Bid Security required pursuant to ITB Clause 16 shall be extended to 30 days after the deadline of the extended Bid validity period. A Bidder may refuse the request without forfeiting the Bid Security. The refusal to extend the bid by the bidder will make the bid invalid and shall not be further considered for evaluation and award, A Bidder agreeing to the request shall not be required or permitted to modify its Bid, except as provided for in ITB Clause 16.
 - 15.3 In the case of contracts in which the Contract Price is fixed (not subject to price adjustment), if the period of Bid validity is extended beyond 60 days, the amounts payable in local and foreign currency to the Bidder selected for award shall be adjusted as specified in the request for extension. Bid evaluation shall be based on the Bid Price without taking the above correction into

consideration.

- **16. Bid Security** 16.1 The Bidder shall furnish, as part of the Bid, a Bid Security as specified in the BDS.
 - 16.2 The Bid Security shall be in fixed amount as specified in BDS and denominated in Ngultrum (Nu) or the currency of the Bid or in another freely convertible currency, and shall:
 - (a) at the Bidder's option, be in any of the following forms:
 - (i) a demand unconditional bank guarantee; or
 - (ii) a account payee demand draft; or
 - (iii) a account payee cash warrant.
 - (b) be issued by financial institution in Bhutan acceptable to the Employer selected by the Bidder. If the institution issuing the Bid Security is located outside Bhutan, it shall have a correspondent financial institution located in Bhutan to make it enforceable.
 - (c) in the case of a bank guarantee, be substantially in accordance with the form of Bid Security included in Section X, Security Forms, or other form approved by the Employer prior to Bid submission;
 - (d) be payable promptly upon written demand by the Employer in case the conditions listed in ITB Sub-Clause 16.5 are invoked;
 - (e) be submitted in its original form; copies shall not be accepted;
 - (f) remain valid for a period of 30 days beyond the validity period of the Bids, as extended, if applicable, in accordance with ITB Sub-Clause 15.2.
 - 16.3 Any Bid not accompanied by a responsive Bid Security shall be Rejected by the Employer as non-responsive.
 - 16.4 The Bid Securities of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder furnishing the Performance Security and in any event not later than 30 days after the expiration of the validity of the unsuccessful Bidder's Bid.
 - 16.5 The Bid Security may be forfeited
 - (a) if a Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Submission Sheet, except as provided for in ITB Sub-Clause 15.2; or
 - (b) if the Bidder that submitted the lowest evaluated Bid does not accept the correction of the Bid price pursuant to Clause 27; or
 - (c) if the successful Bidder fails within the specified time limit to
 - (i) sign the Contract; or
 - (ii) furnish the required Performance Security
 - 16.6 The Bid Security of a JV/C/A must be in the name of the JV/C/A that submits the Bid. If the JV/C/A has not been legally constituted at the time of bidding,

the Bid Security shall be in the names of all future partners as named in the letter of intent.

17.1 Alternatives shall not be considered, unless specifically allowed in the BDS. If **17.** Alternative so allowed, ITB Sub-Clauses 17.1 and 17.2 shall govern, and the BDS shall **Proposals by** specify which of the following options shall be allowed: **Bidders** (a) Option One. A Bidder may submit alternative Bids with the base Bid and the Employer shall only consider the alternative Bids offered by the Bidder whose Bid for the base case was determined to be the lowestevaluated Bid, or Option Two. A Bidder may submit an alternative Bid with or without a (b) Bid for the base case. All Bids received for the base case, as well as alternative Bids meeting the Technical Specifications and Performance Requirements pursuant to Section VII, shall be evaluated on their own merits. 17.2 Alternative Bids shall provide all information necessary for a complete evaluation of the alternative by the Employer, including design calculations, technical specifications, breakdown of prices, proposed construction methods and other relevant details. 18.1 The Bidder shall prepare one original of the documents comprising the Bid as 18. Format and described in ITB Clause 12, bound with the volume containing the Form of Signing of Bid Bid, and clearly marked "ORIGINAL." In addition, the Bidder shall submit copies of the Bid, in the number specified in the BDS, and clearly marked as "COPIES." In the event of any discrepancy between the original and any copies, or between the original paper form of the Bill of Quantities (or Activity Schedule in the case of lump sum Contracts) and the electronic version on CD-ROM, the original shall prevail. The original and all copies of the Bid shall be typed or written in indelible ink 18.2 and shall be signed by a person or persons duly authorized to sign on behalf of the Bidder, pursuant to ITB Sub-Clause 4.3 (a). Unsigned Form of Bid & BOQ shall make the bid non-responsive. All pages of the Bid where entries or amendments have been made shall be initialed by the person or persons signing the Bid. The Bid shall contain no alterations or additions, except those to comply with 18.3 instructions issued by the Employer, or as necessary to correct errors made by the Bidder, in which case such corrections shall be initialed by the person or persons signing the Bid. 18.4 The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.

D. Submission of Bids

19. Sealing and Marking of Bids

Bids

- 19.1 Bidders may always submit their Bids by mail or by hand. When so specified in the BDS, Bidders shall have the option of submitting their Bids electronically. Bidders submitting Bids electronically shall follow the procedures specified in the BDS. The Bidder shall seal the original and all copies of the Bid, including alternative Bids if permitted in accordance with ITB Clause 17, in separate inner envelopes contained within one outer envelope. All envelopes shall be sealed with adhesive or other sealant to prevent reopening.
- 19.2 The inner envelopes shall
 - (a) be signed across their seals by the person authorized to sign the Bid on behalf of the Bidder; and
 - (b) be marked "ORIGINAL", "ALTERNATIVE" (if any) and "COPIES";
- 19.3 The outer envelope shall:
 - (a) be signed across its seal by the person authorized to sign the Bid on behalf of the Bidder;
 - (b) be marked "Confidential";
 - (c) be addressed to the Employer at the address provided in the BDS;
 - (d) bear the name and identification number of the Contract as defined in the BDS and SCC; and
 - (e) provide a warning not to open before the specified time and date for Bid opening as defined in the BDS.
- 19.4 In addition to the identification required in ITB Sub-Clause 19.2, the inner envelopes shall indicate the name and address of the Bidder to enable the Bid to be returned unopened in case it is declared late pursuant to ITB Clause 21.
- 19.5 If the outer envelope is not sealed and marked as above, the Employer shall assume no responsibility for the misplacement or premature opening of the Bid.
- 20. Deadline for Submission of20.1 Bids shall be delivered to the Employer at the address specified above no later than the time and date specified in the BDS.
 - 20.2 The Employer may extend the deadline for submission of Bids by issuing an amendment in accordance with ITB Clause 10, in which case all rights and obligations of the Employer and the Bidders previously subject to the original deadline shall then be subject to the new deadline.
- **21. Late Bids** 21.1 Any Bid received by the Employer after the deadline prescribed in ITB Clause 20 shall be returned unopened to the Bidder.
- 22. Withdrawal,Substitution22.1 Bidders may withdraw, substitute or modify their Bids by giving notice in writing before the deadline prescribed in ITB Clause 20.

and
Modification of
Bids22.2Each Bidder's withdrawal, substitution or modification notice shall be prepared,
sealed, marked and delivered in accordance with ITB Clauses 18 and 19, with
the outer and inner envelopes additionally marked "WITHDRAWAL",

"SUBSTITUTION" or "MODIFICATION" as appropriate.

- 22.3 No Bid may be substituted or modified after the deadline for submission of Bids.
- 22.4 Withdrawal of a Bid between the deadline for submission of Bids and the expiration of the period of Bid validity specified in the BDS or as extended pursuant to ITB Sub-Clause 15.2 may result in the forfeiture of the Bid Security pursuant to ITB Clause 16. If the lowest or the lowest evaluated bidder withdraws his bid between the periods specified pursuant to clause 22.4, the bid security of the bidder shall be forfeited and in addition the bidder shall pay to the Employer the positive difference of sum, if any with the next lowest Bidder within 14 days of his withdrawal. If the bidder fails to pay the difference within the said date, the bidder shall be debarred by a Competent Authority as per law.
- 22.5 Bidders may only offer discounts to, or otherwise modify the prices of their Bids, by submitting Bid modifications in accordance with this clause or included in the initial Bid submission.

E. Bid Opening and Evaluation

23. Bid Opening 23.1 The Employer shall open the Bids, including modifications made pursuant to ITB Clause 22, in the presence of the Bidders' representatives who choose to attend at the time and in the place specified in the BDS. Any specific opening procedures required if electronic bidding is permitted in accordance with ITB Sub-Clause 20.1 shall be as specified in the BDS.

- 23.2 Envelopes marked "WITHDRAWAL" shall be opened and read out first. Bids for which an acceptable notice of withdrawal has been submitted pursuant to ITB Clause 22 shall not be opened.
- 23.3 The Original & Copies will be opened at the bid opening. The Bidders' names, the Bid prices, the total amount of each Bid and of any alternative Bid (if alternatives have been requested or permitted), any discounts, Bid withdrawals, substitutions or modifications, the presence or absence of Bid Security (and any other details the Employer may consider appropriate) responses to any Bidding Documents addenda; fulfillment of any such other specific formal requirements as are prescribed in the Bidding Documents; and such other details as the Employer may consider appropriate, shall be announced by the Employer at the opening. This information also shall be written on a notice board for the public to copy. Any Bid price, discount or alternative Bid price not announced and recorded shall not be taken into account in Bid evaluation.

All corrections/overwriting will be noted and recorded on each page of the Bill of Quantities. The bid evaluation will be done using the Copies while the Original will be kept in safe custody. If there are any discrepancies between the Original & Copies, the Original shall prevail.

No Bid shall be rejected at Bid opening except for late Bids pursuant to ITB Clause 21.Substitution Bids and modifications submitted pursuant to ITB Clause 22 that are not opened and read out at Bid opening shall not be

		considered for further evaluation regardless of the circumstances. Late, withdrawn and substituted Bids shall be returned unopened to Bidders.
	23.4	The Employer shall prepare Minutes of the Bid opening, including the information disclosed to those present in accordance with ITB Sub-Clause 23.3. The Minutes shall include, as a minimum:
		(a) the Contract title and reference number;
		(b) the Bid number;
		(c) the Bid deadline date and time;
		(d) the date, time and place of Bid opening:
		(e) Bid prices, per lot if applicable, offered by the Bidders, including any discounts and alternative offers;
		(f) the presence or absence of Bid security and, if present, its amount and validity;
		(g) name and nationality of each Bidder, and whether there is a withdrawal, substitution or modification;
		(h) the names of attendees at the Bid opening, and of the Bidders they represent (if any);
		 (i) details of any complaints or other comments made by attendees/representatives attending the Bid opening, including the names and signatures of the attendees/representatives making the complaint(s) and/or comment(s); and
		(j) the names, designations and signatures of the members of the Bid Opening Committee.
		The Bidders' representatives and attendees who are present shall be requested to sign the record. The omission of a Bidder's or other attendee's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Bidders.
24. Confidentiality	24.1	Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process until publication of the award to the successful Bidder has been announced pursuant to ITB Sub-Clause 33.4. Any effort by a Bidder to influence the Employer's processing of Bids or award decisions may result in the rejection of his Bid. Notwithstanding the above, from the time of Bid opening to the time of Contract award, if any Bidder wishes to contact the Employer on any matter related to the Bidding process, it should do so in writing, including by electronic mail.

25. Clarification of 25.1 To assist in the examination, evaluation and comparison of Bids, the Employer may, at the Employer's discretion, ask any Bidder for clarification of the Bidder's Bid, including breakdowns of unit rates. The request for clarification and the response shall be in writing, including by electronic mail, but no change in the price or substance of the Bid shall be sought, offered or permitted except as required to confirm the correction of

arithmetic errors discovered by the Employer in the evaluation of the Bids in accordance with ITB Clause 27.

26. Examination of 26.1 Prior to the detailed evaluation of Bids, the Employer shall determine whether each Bid (a) meets the eligibility criteria defined in ITB Clause 3; **Bids and** (b) has been properly signed; (c) is accompanied by the Bid Security; and **Determination of** (d) is substantially responsive to the requirements of the Bidding Responsiveness Documents. 26.2 A substantially responsive Bid is one which conforms to all the terms, conditions and specifications of the Bidding Documents, without material deviation or reservation. A material deviation or reservation is one (a) which affects in any substantial way the scope, quality or performance of the Works; (b) which limits in any substantial way, inconsistent with the Bidding Documents, the Employer's rights or the Bidder's obligations under the Contract; or (c) whose rectification would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids. 26.3 If a Bid is not substantially responsive, it will be rejected by the Employer, and may not subsequently be made responsive by correction or withdrawal of the nonconforming deviation or reservation. 27.1 Bids determined to be substantially responsive shall be checked by the 27. Correction of Employer for any arithmetic errors. Errors shall be corrected by the Errors Employer as follows: where there is a discrepancy between the amounts in figures and in (a) words, the amount in words shall govern; and (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted shall govern, unless in the opinion of the Employer there is an obviously gross misplacement of the decimal point in the unit rate, in which case the line item total as quoted shall govern, and the unit rate shall be corrected. 27.2 The corrections will be notified in writing to the individual bidder with a request for written acceptance of the corrections within the specified period as made in the notification. The amount stated in the Bid shall be adjusted by the Employer in accordance with the above procedure for the correction of errors and, with the concurrence of the Bidder, shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, the Bid shall be rejected, and the Bid Security may be forfeited in accordance with ITB Sub-Clause 16.5 (b). 28. Currency for 28.1Bids shall be evaluated as quoted in Ngultrum (NU) in accordance with ITB Sub-Clause 14.1, unless a Bidder has used different exchange rates than **Bid Evaluation** those prescribed in ITB Sub-Clause 14.2, in which case the Bid shall be first converted into the amounts payable in different currencies using the rates quoted in the Bid and then reconverted to Ngultrum (NU) using the exchange rates prescribed in ITB Sub-Clause 14.2. **29. Evaluation and** 29.1 The Employer shall evaluate and compare only the Bids determined to be substantially responsive in accordance with ITB Clause 26. **Comparison of** Bids 29.2 In evaluating the Bids, the Employer shall determine for each Bid the evaluated Bid price by adjusting the Bid price as follows:

- (a) making any correction for errors pursuant to ITB Clause 27;
- (b) excluding provisional sums and the provision (unless no rates have been asked from the bidders), if any, for contingencies in the Bill of Quantities, but including Daywork, where priced competitively;
- (c) making an appropriate adjustment for any other acceptable variations, deviations or alternative offers submitted in accordance with ITB Clause 17; and
- (d) making appropriate adjustments to reflect discounts or other price modifications offered in accordance with ITB Sub-Clause 22.5.
- 29.3 The bids shall be evaluated by applying the evaluation criteria, sub criteria and points system specified in the BDS. Each responsive bid will be given a technical score. Financial bids of only those bidders who score the minimum technical score specified in the BDS will be considered to for the 2nd stage of bid evaluation to obtain an overall price preference -financial score. Work will be awarded to the Bidder obtaining the highest overall price preference -financial score which will be obtained using the following formula:
 - 90 % X (Lowest quoted bid among qualifying tenders/ financial bid quoted by x) + 10% X Price preference score for x.
- 29.4 The Employer reserves the right to accept or reject any variation, deviation or alternative offer. Variations, deviations and alternative offers and other factors which are in excess of the requirements of the Bidding Documents or otherwise result in unsolicited benefits for the Employer shall not be taken into account in Bid evaluation.
- 29.5 The estimated effect of any price adjustment conditions under GCC Clause 47, during the period of implementation of the Contract, shall not be taken into account in Bid evaluation.
- 29.6 If the Bid which results in the lowest evaluated Bid price is abnormally low, seriously unbalanced and/or front loaded in the opinion of the Employer, the Employer shall require the Bidder to produce written explanations of, justifications and detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. Such explanations, justifications and analyses may also include, but are not limited to, details of the technical solutions chosen, exceptionally favorable conditions available to the Bidder for the execution of the Contract, and the originality of the Works proposed by the Bidder. After objective evaluation of the explanations, justifications and price analyses, taking into consideration the schedule of estimated Contract payments, if the Procuring Agency decides to accept the abnormally low, seriously unbalanced and/ or front loaded price, the bidder shall be required to provide additional differential security equivalent to the difference between the estimated amount and the quoted price in addition to the performance security.

30. Preference for Domestic Bidders 30.1 As indicated in the BDS, domestic contractors may receive a margin of preference in Bid evaluation, for which this clause shall apply.

30.2 A domestic Bidder shall provide all evidence necessary to prove that it meets the following criteria to be eligible for a margin of preference in the

		comparison of its Bid with those of Bidders who do not qualify for the preference. A domestic Bidder shall:
		(a) be registered within Bhutan, constituted under and governed by the civil, commercial or public law of Bhutan, and have its statutory office, central administration or principal place of business there;
		(b) have majority ownership by nationals of Bhutan;
		(c) not subcontract more than twenty percent (20) percent of the Contract Price, excluding provisional sums, to foreign contractors, suppliers and/or consultants.
	30.3	Joint Ventures, Consortia and Associations of domestic firms may be eligible for the margin of preference provided that:
		 (a) the individual partners satisfy the criteria of eligibility of ITB Sub- Clauses 30.2 (a) and (b);
		(b) the JV/C/A is registered in Bhutan;
		(c) the JV/C/A does not subcontract more than ten percent (10%) of the Contract Price, excluding provisional sums, to foreign firms; and
		(d) the JV/C/A satisfies any other criteria specified for the purpose of domestic preference eligibility, as specified in the BDS.
	30.4	The procedure used to apply the margin of preference shall be as stipulated in the BDS.
		F. Award of Contract
31. Award Criteria	31.1	Subject to ITB Clause 32, the Employer shall award the Contract to the Bidder whose Bid has been determined to be substantially responsive to the Bidding Documents and who has scored the highest in the price preference – financial score of 100, provided that such Bidder has been determined to be (a) eligible in accordance with the provisions of ITB Clause 3, and (b) qualified in accordance with the provisions of ITB Clause 4.
32. Employer's Right to Accept any Bid and to Reject any or all Bids	32.1	Notwithstanding ITB Clause 31, the Employer reserves the right to accept or reject any Bid, and to cancel the bidding process and reject all Bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Employer's action.
33. Notification of Award and Signing of	33.1	The Bidder who's Bid has been accepted shall be notified in writing of the award by the Employer prior to expiration of the Bid validity period. This notification letter (hereinafter and in the General Conditions of Contract called the "Letter of Acceptance") shall state the sum that the Employer shall

Signing of Contract

33.2 The Letter of Acceptance shall constitute the formation of the Contract,

(hereinafter and in the Contract called the "Contract Price").

pay the Contractor in consideration of the execution, completion and maintenance of the Works by the Contractor as prescribed by the Contract

		subject to the Bidder furnishing the Performance Security in accordance with ITB Clause 34 and signing the Contract in accordance with ITB Sub-Clause 33.3. It shall be accompanied by two originals of the Contract in the form provided for in Section IV – Forms of Bid, Qualification Information, Letter of Acceptance, and Contract.
	33.3	The Contract shall incorporate all agreements between the Employer and the successful Bidder. It shall be signed by the Employer and sent to the successful Bidder with the Letter of Acceptance. Within 15 days of receipt, the successful Bidder shall sign the Contract and deliver it to the Employer.
	33.4	Upon the furnishing by the successful Bidder of the Performance Security, the Employer shall notify all other Bidders of the results of the bidding and shall publish a notification of award on the Employer's website. The notifications to all other Bidders as well as the notification posted on the Employer's website shall include the following information: (i) the Bid and lot numbers (ii) name of the winning Bidder, and the Price it offered, as well as the duration and summary scope of the contract awarded; and (iii) the date of the award decision.
34. Performance Security	34.1	Within fifteen (15) working days after receipt of the Letter of Acceptance the successful Bidder shall deliver to the Employer a Performance Security in the amount stipulated in the GCC and in the form stipulated in the BDS, denominated in the type and proportions of currencies in the Letter of Acceptance and in accordance with the GCC.
	34.2	If the Performance Security is provided by the successful Bidder in the form of a Bank Guarantee, it shall be issued, at the Bidder's option, by a financial institution located in Bhutan.
	34.3	Failure of the successful Bidder to comply with the requirements of ITB Sub- Clauses 33.3 and 34.1 shall constitute sufficient grounds for cancellation of the award and forfeiture of the Bid Security. If the lowest evaluated bidder fails to produce the performance guarantee & sign the contract then apart from forfeiture of Bid Security, the bidder will also be required to bear the positive difference in contract amount between his bid and the bidder to whom the work has been awarded.
	34.4	Upon the successful Bidder's signing of the Contract and furnishing of the Performance Security pursuant to ITB Sub-Clause 34.1, the Employer shall promptly notify the name of the winning Bidder to each unsuccessful Bidder in accordance with ITB Sub-Clause 33.4 and shall discharge the Bid Securities of the unsuccessful Bidders pursuant to ITB Sub-Clause 16.4.
35. Advance Payment and Security	35.1	The Employer shall provide an Advance Payment on the Contract Price as stipulated in the GCC, subject to a maximum amount, as stated in the BDS. The advance payment shall be guaranteed by a Security in the form provided for in Section X, Security Forms.
36. Adjudicator	36.1	The Employer may propose the person named in the BDS to be appointed as Adjudicator under the Contract. If the Bidder disagrees with this proposal, the Bidder should so state in the Bid. If, in the Letter of Acceptance, the Employer has not agreed on the bidder's nomination of the Adjudicator, the Adjudicator may be appointed by mutual consent.

	A. General
ITB 1.1	The Employer is Bank Of Bhutan Limited
	The name and identification of the contract are: Supply & Installation of Plumbing & Sanitary Fixtures and Fittings
ITB 1.2	The Intended Completion Date is : 2.5 (Two and Half) months
ITB 4.3	The information required from Bidders in ITB Sub-Clause 4.3 is modified as follows: None.
ITB 4.3 (j)	The ceiling for sub contractor's participation and conditions are : Not Allowed
ITB 4.4	The qualification data required from Bidders in ITB Sub-Clause 4.4 is modified as follows: <i>None</i> .
ITB 4.5	ONLY THE FOLLOWING APPROVED MAKE IS ELIGIBLE FOR THIS TENDER.
	 A. Plumbing & Sanitary: Jaquar/Kohler/Cera/Duravit/Eros/Rak B. Heat Pump & Geyser: AO Smith/ Jaquar/Stiebel Eltron C. Stainless Steel Kitchen Sinks: Blue Star/Jayna/Equivalent D. Water Storage Tank: Jay/Simplex/Sintex/ Polycast The qualification criteria in ITB Sub-Clause 4.5 is modified as follows:
	1. Eligibility Criteria/Pre-qualification of a Bidder:
	1. Legal Status
	Copies of original documents defining the constitution or legal status, place of registration, and principal place of business of the Bidder; The bidder should be a registered proprietorship firm with valid trade license.
	2. Financial Turnover.
	The bidder should submit evidence of adequate working capital for this Contract work. The bidder should have a minimum financial capacity of Nu. 500,000.00 through a Line of Credit or any othe acceptable means.
	3. Manufacturers Authorization.
	The bidder should submit Original Manufacturer Authorization Certificate in the format attached or Dealership Certificates.

	A Specific experience of the hidder executing the work (Enclose your symparting
	4. Specific experience of the bidder executing the work. (Enclose your supporting documents as per the form in the Qualification Information and Evaluation Table)
	Important Note: - Only the Bidders whose bid fulfill all the above four criteria will be evaluated on their financial quote. And the bid with the lowest quote will be considered for award of work.
ITB 4.5 (b)	The essential equipment to be made available for the Contract by the successful Bidder shall be: As specified in the technical specification of the manufacturer.
ITB 4.6	Joint venture partner's experience and resources "shall not" be taken into account.
	B. Bidding Documents
ITB 9.1	The Employer's address for clarification is: <i>Karma, Executive Engineer, TCO Project, BoBL, Thimphu.</i>
	Email: karma@bob.bt
ITB 9.2	Pre-bid Meeting "shall not" be held.
C. Preparation of	Bids
-	Bids The language of the bid is: <i>English</i>
C. Preparation of ITB 11.1 ITB 12.1	
ITB 11.1	The language of the bid is: <i>English</i>
ITB 11.1 ITB 12.1	The language of the bid is: English Any additional materials required to be completed and submitted by the Bidders are : None All cost should be quoted inclusive of the local taxes. The Contract shall be for the whole Works, as
ITB 11.1 ITB 12.1 ITB. 13.1 ITB 13.4	The language of the bid is: English Any additional materials required to be completed and submitted by the Bidders are : None All cost should be quoted inclusive of the local taxes. The Contract shall be for the whole Works, as described in the priced Bill of Quantities.
ITB 11.1 ITB 12.1 ITB. 13.1 ITB 13.4 ITB 14.2	The language of the bid is: English Any additional materials required to be completed and submitted by the Bidders are : None All cost should be quoted inclusive of the local taxes. The Contract shall be for the whole Works, as described in the priced Bill of Quantities. The Contract "is not" subject to price adjustment in accordance with GCC Clause 47. The authority for establishing the rates of exchange shall be the Royal Monetary Authority of
ITB 11.1 ITB 12.1 ITB 13.1 ITB 13.4 ITB 14.2 ITB 14.4	The language of the bid is: English Any additional materials required to be completed and submitted by the Bidders are : None All cost should be quoted inclusive of the local taxes. The Contract shall be for the whole Works, as described in the priced Bill of Quantities. The Contract "is not" subject to price adjustment in accordance with GCC Clause 47. The authority for establishing the rates of exchange shall be the Royal Monetary Authority of Bhutan.
ITB 11.1 ITB 12.1 ITB 13.1 ITB 13.4 ITB 14.2 ITB 14.4 ITB 15.1	The language of the bid is: English Any additional materials required to be completed and submitted by the Bidders are : None All cost should be quoted inclusive of the local taxes. The Contract shall be for the whole Works, as described in the priced Bill of Quantities. The Contract "is not" subject to price adjustment in accordance with GCC Clause 47. The authority for establishing the rates of exchange shall be the Royal Monetary Authority of Bhutan. Bidders "are not" required to substantiate the rates and prices. The Bid shall be valid for 60 days from the deadline for submission of Bids stipulated in ITB
ITB 11.1 ITB 12.1 ITB. 13.1	The language of the bid is: <i>English</i> Any additional materials required to be completed and submitted by the Bidders are : <i>None</i> All cost should be quoted inclusive of the local taxes. The Contract shall be for the whole Works, as described in the priced Bill of Quantities. The Contract "is not" subject to price adjustment in accordance with GCC Clause 47. The authority for establishing the rates of exchange shall be the <i>Royal Monetary Authority of Bhutan</i> . Bidders "are not" required to substantiate the rates and prices. The Bid shall be valid for 60 days from the deadline for submission of Bids stipulated in ITB Clause 20.1

ITB 19.1	Bidders may submit their Bids electronically: "No"
ITB 19.3 (c)	The Employer's address for the purpose of Bid submission is:
	Project Manager, Thimphu Corporate Office Construction, Bank of Bhutan Limited, City Office, NWAB Building, Norzin Lam, THIMPHU.
	Telephone: 975 02 334621, E-mail:- han@bob.bt
ITB 19.3 (d)	The name and Identification number of the contract as given in ITB 1.1 above in this sheet.
ITB 19.3 (e)	The warning shall read "DO NOT OPEN BEFORE 26/12/2018
ITB 20.1	The deadline for submission of Bids shall be On or before 2.30PM , <i>26/12/2018</i>

E. Bid Opening and Evaluation

The Bid opening shall take place on the same day as the closing day of the bid submission at:
Conference Hall
Bank Of Bhutan Limited, Babesa, Thimphu
Date: 26/12/2018; Time:2.30PM
As per ITB 4.5
Margin of domestic preference of five percent (5%) "shall not" apply
Other criteria to be used for the purpose of assessing domestic preference eligibility are: <i>Not Applicable</i>
The procedure used to apply the margin of preference shall be: <i>Not Applicable</i>
ct
Lowest evaluated bidder as per BDS 29.3
The Performance Security shall be provided in any one of the following forms:
(a) demand guarantee in the form provided for in Section X, Security Forms, or
(b) banker's certified cheque/cash warrant, or
(c) demand draft.
The Advance Payment shall be as per the payment schedule specified in the Special condition of

		Contract.(SCC)	
If negotiations fail between the parties, the dispute shall be referred to the CDB and finally reso by Arbitration in accordance with rules and procedures of CDB enforced at the time of submiss through its National Arbitration Committee. Either party can take the case to the court in Bhutan	ITB 36.1	Disputes arising from the implementation of the provisions of the Contract shall be settled first by negotiations between the Contractor and the Employer in order to arrive at an amicable settlement. If negotiations fail between the parties, the dispute shall be referred to the CDB and finally resolved by Arbitration in accordance with rules and procedures of CDB enforced at the time of submission through its National Arbitration Committee. Either party can take the case to the court in Bhutan if the Arbitration award is not acceptable to them. If the case is taken to the court, all the decisions	

Section III. Eligible Countries

Eligibility for the Provision of Goods, Works and Services in BoBL -financed Procurement

- 1. The BoBL permits firms and individuals from all countries to offer goods, works and services for BoBL-financed projects. As an exception, firms of a Country, goods manufactured in a Country or services provided from or by a Country may be excluded if:
 - 1.1 As a matter of law or official regulation, the RGoB prohibits commercial relations with that Country, or
 - 1.2 By an Act of Compliance with a Decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the RGoB prohibits any import of goods from that Country or any payments to persons or entities in that Country.
- 2. For the information of Bidders, at the present time firms, goods and services from the following countries are excluded from this bidding:
 - (a) With reference to Paragraph 1.1 above:

[Insert list of countries prohibited under the law or official regulations of Bhutan]

(a) With reference to Paragraph 1.2 above:

[insert list of countries which are barred under UN Security Council Chapter VII]

Section IV. Forms of Bid, Qualification Information, Letter of Acceptance, and Contract

1. Contractor's Bid

Notes on Form of Contractor's Bid

The Bidder shall fill in and submit this Bid form with the Bid.

[date]

Identification No. and Title of Contract:

[insert identification number and title of Contract]

To: [name and address of Employer]

Having examined the all the Bidding Documents (with reference ITB 8), including addenda [insert list], we offer to execute the [name and identification number of Contract] in accordance with the Conditions of Contract accompanying this Bid for the Contract Price of [insert amount in numbers], [insert amount in words] [insert name of currency].

This Bid and your written acceptance of it shall constitute a binding Contract between us. We understand that you are not bound to accept the lowest or any Bid you receive.

We hereby confirm that this Bid complies with the Bid validity and Bid Security required by the Bidding Documents and specified in the Bidding Data Sheet.

We, including any subcontractors or suppliers for any part of the Contract, have nationalities from eligible countries in accordance with ITB Sub-Clause 3.1;

We have no conflict of interest in accordance with ITB Sub-Clause 3.2;

Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the Contract—has not been declared ineligible under the laws or official regulations of Bhutan, in accordance with ITB Sub-Clause 3.3.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity

(if none, state "none")."

In case if I withdraw my bid after opening for whatsoever reasons, *I agree to the* forfeiture of the EMD/Bid Security and also I shall be bound to pay the cost difference (positive) between my bid with that of the next lowest evaluated bidder and failure on my part to do so within a month, will authorize the client to debar my firm for a period of 2 years.

Our duly executed Integrity Pact Statement is attached herewith as Appendix A.

Authorized Signature:

(Affix Legal Stamp)

Name and Title of Signatory:

Name of Bidder:

Address: _____

2. Qualification Information and Evaluation Table

Notes on Form of Qualification Information

The information to be filled in by Bidders in the following pages will be used for purposes of post qualification/ evaluation or for verification of prequalification as provided for in Clause 4 of the Instructions to Bidders. Attach additional pages as necessary. Pertinent sections of attached documents should be translated into the Language of the Bid, as specified in BDS ITB 11.1. If used for prequalification verification, the Bidder should fill in updated information only.]

1.1 Similar work Experience

Value of single largest work of similar size and nature:

Sl. No	Name of Work	Start & Completion Dates	Value of Work	Name of Employer

The bidder shall submit the following supporting documents for the above:

- > Copies of completion certificate from the employer.
- > Partial completion will not be considered for evaluation.

3.Letter of Acceptance

[Letterhead paper of the Employer]

Notes on Standard Form of Letter of Acceptance

The Letter of Acceptance shall be the basis for formation of the Contract as described in ITB Clauses 33 and 34 of the Instructions to Bidders. This Standard Form of Letter of Acceptance shall be filled in and sent to the successful Bidder only after evaluation of Bids has been completed.

[Insert date]

To: [name and address of the Contractor]

This is to notify you that your Bid dated *[insert date]* for execution of the *[insert name of the Contract and identification number, as given in the SCC]* for the Contract Price of the equivalent¹ of *[insert amount in numbers and words] [insert name of currency]*, as corrected and modified² in accordance with the Instructions to Bidders is hereby accepted by our Agency.

[Insert one of the following (x) or (y) options if applicable]

- (x) We accept that *[insert name proposed by Bidder]* be appointed as the Adjudicator.³
- (y) We do not accept that *[insert name proposed by Bidder]* be appointed as Adjudicator, and by sending a copy of this Letter of Acceptance to *[insert name of the Appointing Authority]* we are hereby requesting *[insert name]*, the Appointing Authority, to appoint the Adjudicator in accordance with ITB Clause 36.1.⁴

The Contract in duplicate is attached hereto. You are hereby instructed to:

- (a) confirm your acceptance of this Letter of Acceptance by signing and dating both copies of it, and returning one copy to us no later than 15 days from the date hereof;
- (b) proceed with the execution of the said Works in accordance with the Contract;
- (c) sign and date both copies of the attached Contract and return one copy to us within 15 days of the date hereof; and
- (d) forward the Performance Security pursuant to ITB Sub-Clause 34.1, i.e., within 15 days after receipt of this Letter of Acceptance, and pursuant to GCC Sub-Clause 51.1

¹ Delete "of the equivalent" if the Contract Price is expressed wholly in one currency.

² Delete "corrected and", or "and modified" or "as corrected and modified" as applicable. See Notes on Standard Form of Contract, next page.

³ To be used only if the Contractor disagrees in the Bid with the Adjudicator proposed by the Employer in the Instructions to Bidders, and has accordingly offered another candidate who is acceptable to the Employer.

⁴ To be used only if the Contractor disagrees in the Bid with the Adjudicator proposed by the Employer in the ITB, has accordingly offered another candidate, and the Employer does not accept the counterproposal.

30

Attachment: Contract

4. Contract

Notes on Standard Form of Contract

The Contract should incorporate any corrections or modifications to the Bid resulting from corrections of errors (ITB Clause 27), price adjustment during the evaluation process (ITB Sub-Clause 15.3), selection of an alternative offer (ITB Clause 17), acceptable deviations (ITB Clause 26), or any other mutually-agreeable changes allowed for in the Special Conditions of Contract, such as changes in key personnel, subcontractors, scheduling, and the like.

This Contract is made the [insert day] day of [insert month], [insert year] between [insert name and address of Employer] (hereinafter called "the Employer") and [insert name and address of Contractor] (hereinafter called "the Contractor") of the other part.

Whereas the Employer is desirous that the Contractor execute [name and identification number of Contract] (hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

Now this Contract witnesseth as follows:

- 1. In this Contract, words and expressions shall have the same meanings as are respectively assigned to them in the General Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Contract.
- 2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

In Witness whereof the parties thereto have caused this Contract to be executed the day and year first before written.

The Common Seal of [Witness entity]

was hereunto affixed in the presence of:

Signed, Sealed, and Delivered by the said ______

in the presence of: _____

Binding Signature of Employer [signature of an authorized representative of the Employer]

Binding Signature of Contractor [signature of an authorized representative of the Contractor]

Section V. General Conditions of Contract (GCC)

Notes on General Conditions of Contract

The General Conditions of Contract (GCC), read in conjunction with the Special Conditions of Contract and other documents listed therein, should be a complete document expressing fairly the rights and obligations of both parties.

The form of General Conditions of Contract that follows has been developed on the basis of considerable international experience in the drafting and management of contracts, bearing in mind a trend in the construction industry towards simpler, more straightforward language.

The form can be used directly for smaller ad measurement (unit prices or unit rates in a Bill of Quantities) contracts and, with the modifications noted in the footnotes, it can be adapted for lump sum contracts.

The use of standard General Conditions of Contract for building and civil works will promote comprehensiveness of coverage, general acceptability of its provisions, savings in cost and time in Bid preparation and review, and the development of a solid background of legal case histories.

Table of Clauses

A. General

1.	Definitions	.35
2.	Interpretation	.36
3.	Language and Law	
4.	Project Manager's Decisions	37
5.	Delegation	.37
6. Coi	nmunications	37
7.	Subcontracting	37
8. Sett	ing Out	37
9.	Other Contractors	.38
10.	Personnel	.38
11. En	ployer's and Contractor's Risks	. 39
12.	Employer's Risks	. 39
13.	Contractor's Risks	.39
14.	Insurance	
15.	Queries about the Special Conditions of Contract	
16.	Contractor to Construct the Works	
17.	The Works to Be Completed by the Intended Completion Date	
18.	Approval by the Project Manager	
19.	Safety	
20.	Discoveries	
21.	Possession of the Site	
22.	Access to the Site	
23.	Instructions, Inspections and Audits	
24.	Disputes	
25.	Procedure for Disputes	
	placement of Adjudicator	
27.	Program	
28.	Extension of the Intended Completion Date	
29.	Acceleration	
30.	Delays Ordered by the Project Manager	
31.	Management Meetings	
32.	Early Warning	
33.	Identifying Defects	
34.	Tests	
35.	Correction of Defects	
36.	Uncorrected Defects	
37.	Bill of Quantities	
38.	Changes in the Quantities	
39.	Variations	
40.	Payments for Variations	
41.	Cash Flow Forecasts	
42.	Payment Certificates	
43.	Payments	.46

44.	Compensation Events for allowing time extension	47
45.	Tax	
46.	Currencies	
47.	Price Adjustment	48
48.	Retention	
49.	Liquidated Damages	49
50.	Advance Payment	
51.	Securities	50
52.	Dayworks	
53.	Cost of Repairs	51
54.	Completion	51
55.	Taking Over	
56.	Final Account	51
57.	Operating and Maintenance Manuals	
58.	Termination	
59. C	Corrupt or Fraudulent Practices	
60.	Payment upon Termination	53
61.	Property	54
62.	Release from Performance	

General Conditions of Contract

A. General

1.	Definitions	1.1	Boldface type is used to identify defined terms.	
			(a) The Adjudicator is the person appointed jointly by the Employer and the Contractor to resolve disputes in the first instance, as provided for in GCC Clauses 25 and 26 hereunder.	
			(b) Bill of Quantities summary of the units and unit prices of the items proposed under the contract.	
			(c) Compensation Events are those defined in GCC Clause 44 hereunder.	
			(d) The Completion Date is the date of completion of the Works as certified by the Employer, in accordance with GCC Sub-Clause 55.1.	
			(e) The Contract is a formal agreement in writing entered into between the Employer and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC Sub-Clause 2.3 below.	
			(f) The Contractor is an individual or legal entity entering into a contract after its Bid to carry out the Works has been accepted by the Employer.	
			(g) The Contractor's Bid is the completed Bidding document submitted by the Contractor to the Employer.	
			(h) The Contract Price is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.	
			(i) Days are calendar days; months are calendar months.	
			(j) Day works are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.	
			(k) A Defect is any part of the Works not completed in accordance with the Contract.	
			(l) The Defects Liability Certificate is the certificate issued by the Employer upon correction of defects by the Contractor.	
			(m) The Defects Liability Period is the period named in SCC Sub-Clause 35.1 and calculated from the Completion Date.	
			(n) Drawings include calculations and other information provided or approved by the Employer for the execution of the Contract.	
			(o) The Employer is the Government Agency which enters into a Contract with a Contractor to carry out the Works, as specified in the SCC. The terms "Procuring Agency", "Purchaser", or "Employer" is synonymous.	
			(p) Equipment is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.	
			(q) The Initial Contract Price is the Contract Price listed in the Employer's	

Letter of Acceptance.

(r) The **Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the SCC. The Intended Completion Date may be revised only by the Employer by issuing an extension of time or an acceleration order.

(s) In writing is in any written form, including electronic mail.

(t) **Materials** are all supplies, including consumables, used by the Contractor for incorporation in the Works.

(u) **Plant** is any integral part of the Works that shall have a mechanical, electrical, chemical or biological function.

(v) The **Project Manager** is the person named in the SCC (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Employer) who is responsible for supervising the execution of the Works and administering the Contract.

(w) SCC is the Special Conditions of Contract.

(x) **Secured Advance:** Secured advance can be given for non-perishable materials only. Materials such as cement/bamboo cannot be eligible for the secured advance. No secured advance shall be given on account of plants & machineries.

(y) The **Site** is the area defined as such in the SCC.

(z) **Site Investigation Reports** are those that were included in the Bidding Documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.

(aa) **Specifications** mean the Specifications of the Works included in the Contract and any modification or addition made or approved by the Project Manager.

(bb) The **Start Date** is given in the SCC. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.

(cc A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.

(dd) **Temporary Works** are works designed, constructed, installed and removed by the Contractor that are needed for construction or installation of the Works.

(ee) A **Variation** is an instruction given by the Project Manager which varies the Works.

(ff) The **Works** are what the Contract requires the Contractor to construct, install and turn over to the Employer, as defined in the SCC.

2. Interpretation 2.1 In interpreting these GCC, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless

specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.

- 2.2 If sectional completion is specified in the SCC, references in the GCC to the Works, the Completion Date and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
- 2.3 The documents forming the Contract shall be interpreted in the following order of priority:
 - (1) Contract,
 - (2) Letter of Acceptance,
 - (3) Contractor's Bid,
 - (4) Special Conditions of Contract,
 - (5) General Conditions of Contract,
 - (6) Specifications,
 - (7) Drawings,
 - (8) Bill of Quantities, and
 - (9) any other document listed in the SCC as forming part of the Contract.
- 3. Language and 3.1 The language of the Contract and the law governing the Contract are stated in the SCC.
- 4.Project4.1Except where otherwise specifically stated, the Project Manager shall decide
contractual matters between the Employer and the Contractor in the role
representing the Employer.
- Delegation
 5.1 The Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may cancel any delegation after notifying the Contractor.
- 6.1 Communications 6.1 Communications between parties that are referred to in the Conditions shall be effective only when in writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission. A notice shall be effective only when it is delivered.
- **7. Subcontracting** 7.1 The Contractor may subcontract with the approval of the Employer provided such provisions exist in contract document, but shall not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.
- 8. Setting Out
 8.1 The Contractor shall be responsible for setting out the Works and for ensuring the correctness of the positions, levels, dimensions and alignment of the Works. At any time during the execution of the Works, he shall correct any error at his own expense when required to do so by the Employer. Boreholes, exploratory excavations or soil testing may be done if instructed by the Employer. In case, cost of boreholes or exploratory excavations or soil testing is not included in the Contract Price, the cost shall be borne by the Employer. The contractor shall provide all facilities like labour and instruments, and shall co-operate with the Engineer-in-Charge to check all alignments, grades, levels and dimensions. Such checking shall not relieve

the contractor of his own responsibility of maintaining the accuracy of the work.

- 9. Other Contractors
 9.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the SCC. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.
- 10. Personnel 10.1 The Contractor shall employ the key personnel named in the Schedule of Key Personnel, as referred to in the SCC, to carry out the functions stated in the Schedule or other personnel approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel only if their relevant qualifications and abilities are substantially equal to or better than those of the personnel listed in the Schedule. If the Contractor fails to deploy the personnel as committed in the Bid document, the employer shall stop the work if the quality of work is going to suffer or otherwise deduct the salaries of such personnel at a rate stipulated in the Special Condition of Contract per month per personnel for every month of absence of such personnel from the site. Such deductions shall continue till such time that the Contractor deploys the key personnel acceptable to the employer. If the Contractor fails to deploy such key personnel within one to four months, the deductions shall be discontinued and the contractor's failure to deploy such personnel shall be treated as a fundamental breach of contract.
 - This shall also apply to the commitment of employment to Vocational Training Institute Graduates (VTI)/skilled local labourers and commitment to provide internship to VTI graduates. However, in this case Contract may not be terminated but wage rates as mentioned in the SCC shall be deducted for the duration of the contract.

Similarly, if the committed equipments are not available at site, the hiring charges of such equipments shall be deducted at a rate stipulated in the SCC per month for every month of absence for a period of one to four months after which the deductions shall be discontinued and the contractor's failure to produce such equipments at site shall be treated as a fundamental breach of contract.

- 10.2 The Contractor shall pay rates of wages and observe conditions of labour which are not lower than the general level of wages and conditions in Bhutan. The Contractor shall provide and maintain all necessary accommodation and welfare facilities for the Contractor's personnel. The Contractor shall comply with all relevant labour laws applicable to the Contractor's personnel, including their employment, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights. The Contractor is required, to the extent practicable and reasonable, to employ national staff and labour with appropriate qualifications and experience.
- 10.3 The Contractor shall not engage child labour and shall conform to the labour laws/acts, rules and regulations of Bhutan in the execution of Contract work. A child who has not attained the age of 18 years shall not be employed in any work as a labourer. During the continuance of the Contract the Contractor and his Subcontractors shall abide at all times with the labour laws/acts, rules

11. Employer's and	and regulations, including child labour, related enactment and rules made there under. 1 The Employer carries the risks which this Contract states are Employer's risks,				
Contractor's Risks	and the Contractor carries the risks which this Contract states are Contractor' risks.	3			
12. Employer's Risks	12.1 From the Start Date until the Defects Liability Certificate has been issued, the following are Employer's risks:	From the Start Date until the Defects Liability Certificate has been issued, the following are Employer's risks:			
	 (a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials and Equipment), which are due to: 				
	(i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or				
	 negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor. 				
	(b) The risk of damage to the Works, Plant, Materials and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or radioactive contamination directly affecting Bhutan.				
13. Contractor's Risks	3.1 From the Start Date until the Defects Liability Certificate has been issued, ne risks of personal injury, death, and loss of or damage to property (including, vithout limitation, the Works, Plant, Materials and Equipment) which are not imployer's risks are Contractor's risks.				
14. Insurance	The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the SCC for the following events which are due to the Contractor's risks:				
	 (a) loss of or damage to the Works, Plant and Materials to be built into the works. 	;			
	Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Dat All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred				
	14.3 If the Contractor does not provide any of the policies and certificates required the Employer may effect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due from the Contractor to the Employer.	l,			
	14.4 Alterations to the terms of insurance shall not be made without the approval of the Project Manager.	of			
	14.5 Both parties shall comply with any conditions of the insurance policies.				
15. Queries about the Special Conditions of Contract	15.1 The Project Manager shall clarify queries on the SCC.				

16.	Contractor to Construct the Works	16.1	The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.			
17.	The Works to Be Completed by the Intended Completion Date	17.1	The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.			
18. Approval by the Project Manager		18.1	The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, who is to approve them if they comply with the Specifications and Drawings.			
		18.2	The Contractor shall be responsible for design of Temporary Works.			
		18.3	The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.			
		18.4	The Contractor shall obtain approval of third parties to design the Temporary Works, where required.			
		18.5	All Drawings prepared by the Contractor for the execution of the temporary or permanent Works are subject to prior approval by the Project Manager before use.			
19.	Safety	19.1	The Contractor shall be responsible for the safety of all activities on the Site.			
		19.2	The Contractor shall assume full responsibility and comply with all applicable safety regulations for the adequacy and safety of site operations and methods of construction and he shall adopt measures to prevent injuries to persons or damage to properties or utilities. He shall hold the Employer harmless from any liability for loss or damage resulting from his failures to take the necessary precautions. He shall avoid undue interference with private business, public travel, or with the work of other contractors. He shall take steps to protect the environment and to minimize noise, pollution or other undesirable effects resulting from his method of operation.			
20.	Discoveries	20.1	Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Employer's instructions for dealing with them.			
		20.2	All materials obtained during excavation from the site and that have not been accounted for in the bid shall be the property of the Employer and the contractor shall take care of useful materials obtained during the execution of the Works and stack at place designated by the Employer. An arrangement shall be made between the Contractor and the Employer for the use and disposal of such materials according to the laws of the kingdom of Bhutan.			
21.	Possession of the Site	21.1	The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the SCC, the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.			
22.	Access to the Site	22.1	The Contractor shall allow the Project Manager and any person authorized by			

the Employer access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

23. Instructions, Inspections and Audits23.1 The Contractor shall carry out all instructions of the Project Manager which comply with the applicable laws where the Site is located.

- 23.2 The Contractor shall give notice to the Project Manager whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Project Manager shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that he does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Project Manager, uncover the work and thereafter reinstate and make good, all at the Contractor's cost.
- 23.3 The Contractor shall permit the Employer and/or persons appointed by the Employer to inspect the Site and/or the accounts and records of the Contractor and its Subcontractors relating to the performance of the Contract, and to have such accounts and records audited by auditors appointed by the Employer if so required by the Employer. The Contractor's attention is drawn to GCC Sub-Clause 59.1 [Corrupt or Fraudulent Practices] which provides, inter alia, that acts intended materially to impede the exercise of the Employer's inspection and audit rights provided for under GCC Sub-Clause 23.3 constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to ITB Sub-Clause 2.1 (c) of the Instructions to Bidders within the Bidding Documents that preceded the placement of the Contract of which these GCC form a part).
- 24. Disputes 24.1 If the Contractor believes that a decision taken by the Project Manager was either outside the authority given to the Project Manager by the Contract or that the decision was wrongly taken, the decision shall be referred to the Adjudicator or Arbitrator within 14 days of the notification of the Project Manager's decision.
- 25. Procedure for Disputes25.1 The Adjudicator shall give a decision in writing within 30 days of receipt of a notification of a dispute.
 - 25.2 The Adjudicator shall be paid by the hour at the rate specified in the BDS and the SCC, together with reimbursable expenses of the types specified in the SCC, and the cost shall be divided equally between the Employer and the Contractor, whatever decision is reached by the Adjudicator. Either party may refer a decision of the Adjudicator to an Arbitrator within 30 days of the Adjudicator's written decision. If neither party refers the dispute to arbitration within the above 30 days, the Adjudicator's decision shall be final and binding.
 - 25.3 The arbitration shall be conducted in accordance with the arbitration procedure published by the institution named and in the place specified in the SCC.
- 26. Replacement of Adjudicator
 26.1 Should the Adjudicator resign or die, or should the Employer and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Employer and the Contractor. In case of disagreement between the Employer and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority designated in the SCC at the request

of either party, within 14 days of receipt of such request.

B. Time Control

27. Program	27.1	Within the time stated in the SCC, after the date of the Letter of Acceptar the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order and timing for all the activities in the Works.	
	27.2	An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.	
	27.3	The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted.	
	27.4	The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Employer again at any time. A revised Program shall show the effect of Variations.	
	27.5	An on-time completion out of a total of thirty (30) % scoring shall be done by the Program Manager. The contractor shall be penalized under this component if he fails to deliver the project as per the initial time-lines committed in the Program.The site engineer shall penalize the contractor to an extent of 30%. The quantum of penalty could vary as following:	
	(i) 10% for a minor default (if the final completion of the project is delayed by 10 - 15% as compared to original project duration) 	
	(20% for a medium default (if the final completion of the project is delayed by 15 - 25% as compared to original project duration) 	
	((iii) 30% for a major default (if the final completion of the project is delayed by 25% or more as compared to original project duration. 	
28. Extension of the Intended Completion Date	28.1	The Project Manager shall extend the Intended Completion Date if a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.	
	28.2	The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of Variation and submitting full	

			supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.
29.	Comple achievin accepts		When the Employer wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Employer accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Employer and the Contractor.
		29.2	If the Contractor's priced proposals for acceleration are accepted by the Employer, they are incorporated in the Contract Price and treated as a Variation.
30.	Delays Ordered by the Project Manager	30.1	The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.
31.	Management Meetings	31.1	Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
		31.2	The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.
32.	Early Warning	32.1	The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work increase the Contract Price or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
		32.2	The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.
		32.3	If the Contractor considers himself to be entitled to any extension of Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give notice to the Project Manager, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
		32.4	If the Contractor fails to give notice of a claim within such period of 30 days, the Employer shall be discharged from all liability in connection with the claim.

C. Quality Control

33.	Identifying Defects	33.1	The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities to ensure the quality of works executed. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect. The Project Manager at the end of the Contract shall issue a Performance score on Quality out of a total of 70 points based on the guidelines issued by the Standard and Quality Control Authority (SQCA).			
34.	Tests	34.1	in the Specification shows that it does	nager instructs the Contractor to carry out a test not specified ons to check whether any work has a Defect and the test s, the Contractor shall pay for the test and any samples If t, the test shall be a Compensation Event.		
35.	Correction of Defects	35.1	The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the SCC. The Defects Liability Period shall be extended for as lo as Defects remain to be corrected.			
		35.2		e of a Defect is given, the Contractor shall correct the notified length of time specified by the Project Manager's notice.		
36.	Uncorrected Defects	36.1	If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount to the Employer. At the option of the Employer, payment of such costs may be made in whole or in part by the Employer deducting and keeping for itself appropriate amounts from the Retention Money and/or claiming against any bank guarantee provided by the Contractor pursuant to GCC Sub-Clause 48.3.			
			D. C	ost Control		
37.	Bill of Quantities	37.1		tities shall contain items for the construction, installation, issioning work to be done by the Contractor.		
		37.2		tities is used to calculate the Contract Price. The Contractor antity of the work done at the rate in the Bill of Quantities for		
38.	Changes in the Quantities	38.1	If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than twenty percent (20%), provided the cost of variation beyond twenty percent (20%) limit exceeds one percent (1%) of the Initial Contract Value the Employer shall adjust the quoted rate up or down to allow for the change. Only when both conditions are met then the quoted rate shall be changed.			
			(a)	If the quantity of work executed exceeds the quantity of the item in BOQ beyond the higher specified limit the Employer shall fix the market rate (which may be lower or higher than the quoted rate) to be applied for the additional		

quantity of the work executed.

			(b) If the quantity of work executed is less than the quantity of the item in BOQ lesser than the lower specified limit, the Employer shall fix the market rate based on the submission of the contractor (which may be lower/higher than the quoted rate) to be applied for whole of the quantity of the work so executed.
		38.2	The rates shall not be adjusted from changes in quantities if thereby the Initial Contract Price is exceeded by more than five percent (5%), except with the prior approval of the Employer in consultation with the Tender Committee.
		38.3	If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.
39.	Variations	39.1	The Project Manager shall order any variation of the form, quality or quantity of the Works or any part thereof that may, in his opinion, be necessary. Each variation may include, but is not limited to, any of the following:
			(a) increase or decrease in the quantity of any work included in the Contract,
			(b) omission or insertion of any item of work,
			(c) change in the character or quality or kind of any such work,
			(d) change in the levels, lines, position and dimensions of any part of the works,
			(e) additional work of any kind, or
			(f) change in any specified sequence or timing of construction activities.
		39.2	The Project Manager shall make any such variation by issuing written instructions to the Contractor and ensure that such variations are duly noted in the Site Order Register. A variation made shall not, in any way, vitiate or invalidate the Contract, but the effect, if any, of all such variations shall be valued in accordance with GCC Clause 40.
		39.3	The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Project Manager stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence of the progress of the Works. Upon receiving this notice, the Project Manager shall cancel, confirm or vary the instruction.
		39.4	All Variations shall be included in updated Programs produced by the Contractor.
	Payments for Variations	40.1	The Contractor shall provide the Project Manager analysed rate for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the analysed rates, which shall be given within seven days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
		40.2	If the work in the Variation corresponds with an item description in the Bill of Quantities and if, in the opinion of Project Manager, the quantity of work above the limit stated in GCC Sub-Clause 38.1 or the timing of its execution

41. Cash Flow

Forecasts

do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.

- 40.3 If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.
- 40.4 If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.
- 40.5 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.
- 41.1 When the Program is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.
- 42. Payment Certificates42.1 The Contractor shall submit to the Project Manager monthly statements of the value of the work executed, based on the Contractor's records, less the cumulative amount certified previously.
 - 42.2 The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
 - 42.3 The value of work executed shall be determined by the Project Manager.
 - 42.4 The value of work executed shall comprise the value of the quantities of the items in the Bill of Quantities completed and measurement thereof shall be carried out jointly by the Project Manager, or his Representative, and the Contractor. The Project Manager, or his Representative, shall record the value of the work executed in a measurement book for the purposes of verifying the Contractor's monthly statements. The measurement book shall be signed by the Project Manager or his Representative, and countersigned by the Contractor.
 - 42.5 The value of work executed shall include the valuation of Variations and Compensation Events.
 - 42.6 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
- 43. Payments43.1 Payments shall be adjusted for deductions for advance payments, taxes, retention money and any other dues. The Employer shall pay the Contractor within 30 working days from the date of receipt of correct and verified bills/invoices in complete form by the Finance Section.
 - 43.2 If the Employer makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late

payment is made at the rate of ten percent (10 %) per annum.

- 43.3 If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall not be paid interest upon the delayed payment as set out in this clause.
- 43.4 Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.
- 43.5 Items of the Works for which no rate or price has been entered in shall not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
- 44.1 The following shall be Compensation Events allowing for time extension:
 - (a) The Employer does not give access to a part of the Site by the Site Possession Date pursuant to GCC Sub-Clause 21.1.
 - (b) The Employer modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
 - (c) The Project Manager orders a delay or does not issue Drawings, Specifications or instructions required for execution of the Works on time.
 - (d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
 - (e) The Project Manager unreasonably does not approve a subcontract to be let if provided in SCC.
 - (f) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
 - (g) Other contractors, public authorities, utilities or the Employer do not work within the dates and other constraints stated in the Contract, and they cause delay.
 - (h) Other Compensation Events described in the SCC or determined by the Employer and force majeure. "Force Majeure" means an exceptional event or circumstance:
 (i) which is beyond a Party's control,

(ii) which such Party could not reasonably have provided against before entering into the Contract,

(iii) which, having arisen, such Party could not reasonably have avoided or overcome, and

(iv) which is not substantially attributable to the other Party.

Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (i) to (iv) above are satisfied:
(i) war, hostilities (whether war be declared or not), invasion, act of foreign
Enemies,
(ii) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,

44. Compensation Events for allowing time extension

		Howe	 (iii) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel, (iv) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity, and (v) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity. ever, force majeure shall not include the following; 		
			i. rainfall		
			ii. snowfall		
			iii. strikes in other countries		
			iv. non-availability of labourer and materials such as timbers, boulders, sand, and other materials		
			v. difficulty and risky terrain and remoteness of site		
		44.2	If a Compensation Event would prevent the work being completed before the Intended Completion Date, the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Intended Completion Date shall be extended.		
		44.3	The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning.		
45.	Tax	45.1	The prices bid by the contractor shall include all duties, taxes and levies that may be levied in accordance with the laws and regulations in being as of the date 30 days prior to the closing date for submission of bids.		
46.	Currencies	46.1	Where payments are made in currencies other than Ngultrum (NU), the exchange rates used for calculating the amounts to be paid shall be the exchange rates stated in the Contractor's Bid.		
47.	Price Adjustment	ent 47.1 If during the contract, there is an increase or decrease in the cost of materials as reflected by the Material Index Numbers published by the National Statistical Bureau ⁵ (NSB), a corresponding increase or decrease in the payme to the contractor or recoverable from the Contractor shall be effected on the basis of the following formulae, such calculation being done for every successive period of 3 months after the18th month of the Contract duration:			
			Adjustment for variation of material prices:		
		$\mathbf{V} = \mathbf{V}$	Vx0.80x0.75 x (M-M0)/M0		
			where:		
			V = amount of variation for materials payable to/recoverable from the		

⁵ Until NSB comes up with the Material Index for the Royal Government of Bhutan, the Wholesale

Price-Index (all commodities) for Materials shall be used for the purpose of this clause. Visit <u>www.eaindustry.nic.in</u> for the Wholesale Price Index.

48. Retention

W = v	alue of the work done during the period under review minus (amount of secured advance recovered in the same period + value of works
	executed under variations for which the variations are paid in the new rate);

- M = the average value of the above Index Number for the 3 months period under review;
- 47.2 For the applications of the above formulae, the appropriate Index Numbers published by the National Statistical Bureau shall be adopted.
- 47.3 To the extent that full compensation for any rise or fall in costs to the contractor is not covered by the provisions of this or other clauses in the contract, the unit rates and prices included in the contract shall be deemed to include amounts to cover the contingency of such other rise or fall in costs.
- 47.4 Price Adjustment shall apply only for work carried out within the stipulated time or extensions granted by the Procuring Agency and shall not apply to work carried out beyond the stipulated time for reasons attributable to the Contractor.
- 48.1 The Employer shall retain ten percent (10%) from each payment due to the Contractor the proportion stated in the SCC until Completion of the whole of the Works as retention money.
 - 48.2 On completion of the whole of the works, half the total amount retained shall be repaid to the Contractor and half when defects liability period has passed and the Engineer has certified that all defects notified by the Engineer to the Contractor before the end of this period have been corrected.
 - 48.3 On completion of the whole of the works, the contractor may substitute the balance half of retention money by an unconditional bank guarantee. In the case of contracts beyond duration of 12 months, substitution of retention money by such a bank guarantee may be allowed on completion of 50% of the value of contract and duly certified by the Project Manager. The bank guarantee shall be valid until the issue of No Defects Liability Certificates by the Project Manager that all defects notified by the Project Manger to the Contractor have been rectified to his satisfaction before the end of this period. If the Contractor fails to remedy any reported defect within the Defect Liability Period, the Employer shall withhold the payment or realize claims from the bank guarantee of an amount which in the opinion of the Employer represents the cost of the defect to be remedied.
- 49. Liquidated Damages
 49.1 The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the SCC for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the ten percent (10%) of the Initial Contract Price. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.
- **50.** Advance Payment 50.1 The Employer shall make advance payment to the Contractor of the amount stated in the SCC (mobilization and secured advances) by the date stated in the SCC, against provision by the Contractor of an Unconditional Bank

51. Securities

Guarantee in a form and by a bank acceptable to the Employer in amounts and currencies equal to the advance payment. The Guarantee shall remain effective until the advance payment has been repaid, but the amount of the Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.

- 50.2 The secured advances shall be paid to the contractor as specified in SCC on the following conditions:
 - a. The materials shall be in accordance with the specifications and shall not be in excess of the requirements;
 - b. The materials shall be delivered at the site of the works, properly stored and protected against loss, damage or deterioration;
 - c. A declaration shall be given by the contractor passing on the lien on the rights of the materials to the Procuring Agency.
 - d. The amount of the secured advance shall not be more than seventy percent (70%) of the cost of materials delivered at the site of works which shall be supported by the original invoices/bills from the suppliers. All materials imported from other countries shall be supported by Bhutan Sales Tax Receipts or Customs Clearance. In case of fabrication works off site, secured advance may be paid to the Contractor after site inspection is carried out by the Procuring Agency at the cost of the contractor, submission of proof of payment (work order) and submission of supply order.

The secured advance shall be recovered from the interim progress payments in the months in which these materials are used in the works.

- 50.3 The Contractor is to use the advance payment only to pay for, Plant, Materials and mobilization expenses required specifically for execution of the Contract.
- 50.4 The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. All advances shall be recovered when eighty percent (80%) of the contract is executed. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses or Liquidated Damages.
- 51.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount specified in the SCC by a bank or surety acceptable to the Employer, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The Performance Security shall be valid until a date 30 days from the date of issue of the Certificate of Completion.
 - 51.2 Following the successful completion of the Contract, the Employer shall return the Performance Security to the Contractor within 14 days of receipt of the Certificate of Completion.
 - 51.3 The Employer shall not make a claim under the Performance Security, except for amounts to which the Employer is entitled under the Contract in the event of:
 - (a) failure by the Contractor to extend the validity of the Performance Security as described in the preceding paragraph, in which event the Employer may claim the full amount of the Performance Security.
 - (b) failure by the Contractor to pay the Employer an amount due, as either

50

		agreed by the Contractor or determined under Clause 43 [payments] or Clause 62 [payment upon Termination], within 42 days after this agreement or determination,
	(c)	circumstances which entitle the Employer to terminate the contract under Clause 58 [<i>Termination</i>], irrespective of whether notice of termination has been given.
52. Dayworks	52.1	If applicable, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
	52.2	All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within 2 days of the work being done.
	52.3	The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms and at the rate quoted for Dayworks.
53. Cost of Repairs	53.1	Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.
	E.	Completion of the Contract
54. Completion	54.1	The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the work is completed.
55. Taking Over	S	 The Employer shall take over the Site and the Works and shall issue the completion Certificate within 15 days of taking over. The completion certificate shall include the following mandatory information: Name of Contract firm Name of Proprietor CDB Registration No. Trade License No. Contract Amount Year of Completion vii. Award order No. with Date.
56. Final Account	56.1	The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 30 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.

57. Operating and 57.1 If "as built" Drawings and/or operating and maintenance manuals are

	Maintenance		required, the Contractor shall supply them by the dates stated in the SCC.		
	Manuals	57.2	If the Contractor does not supply the Drawings and/or manuals by the dates stated in the SCC, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount stated in the SCC from payments due to the Contractor.		
58.	Termination	58.1	The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.		
		58.2	Fundamental breaches of Contract shall include, but shall not be limited to, the following:		
			 (a) the Contractor stops work for 30 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager; 		
			(b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;		
			(c) the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;		
			(d) The Contractor fails to employ the personnel proposed in the Bid document pursuant to Qualification Information Paragraph 1.5,		
			(e) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 84 days of the date of the Project Manager's certificate;		
			 (f) the Project Manager gives notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager; 		
			(g) the Contractor does not maintain a security, which is required;		
			 (h) the Contractor subcontracts any or whole of the Works without the approval of the Employer; 		
			 the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in the SCC; and 		
			 (k) in case of joint venture any or all parties fail to fulfill the contractual obligations. 		
		58.3	When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC Sub-Clause 58.2 above, the Project Manager shall decide whether the breach is fundamental or not.		
		58.4	Notwithstanding the above, the Employer may terminate the Contract for convenience.		
		58.5	If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.		
59.	Corrupt or Fraudulent	59.1	If the Employer determines that the Contractor has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for or in		

	Practices		executing the Contract then the Employer may, after giving 14 days notice to the Contractor, terminate the Contractor's employment under the Contract and expel him from the Site, and the provisions of GCC Sub-Clause 59.5 shall apply.		
		59.2	Should any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive or obstructive practice during the execution of the Works, then that employee shall be removed in accordance with GCC Sub-Clause 10.2		
		59.3	For th	e purp	oses of this Sub-Clause:
			(a)	direct	upt practice" is the offering, giving, receiving or soliciting, ly or indirectly, of anything of value to influence improperly the is of another party;
misrepresentation, that knowingly of		dulent practice" is any act or omission, including a presentation, that knowingly or recklessly misleads, or attempts to ad, a party to obtain a financial or other benefit or to avoid an ation;			
			(c)	desig	sive practice" is an arrangement between two or more parties ned to achieve an improper purpose, including to influence perly the actions of another party;
			(d)	harm,	cive practice" is impairing or harming, or threatening to impair or directly or indirectly, any party or the property of the party to nce improperly the actions of a party;
			(e)	"obst	ructive practice" is
				(i)	deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order materially to impede any investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
				(ii)	acts intended materially to impede the exercise of the inspection and audit rights of the Employer and/or any other relevant RGoB agency provided for under GCC Clause 23.
60.	Payment upon Termination	60.1	the Co the wo date of of wo Dama any pa	If the Contract is terminated because of a fundamental breach of Con- the Contractor, the Project Manager shall issue a certificate for the v- the work done and Materials ordered less advance payments received date of the issue of the certificate and less the percentage to apply to of work not completed, as indicated in the SCC. Additional Liquidat Damages shall not apply. If the total amount due to the Employer ex- any payment due to the Contractor, the difference shall be a debt pay the Contract is terminated for the Employer's convenience or beca fundamental breach of Contract by the Employer, the Project Manage issue a certificate for the value of the work done, Materials ordered, reasonable cost of removal of Equipment, repatriation of the Contrac- personnel employed solely on the Works, and the Contractor's costs	
		60.2	funda issue reason		

		protecting and securing the Works, and less advance payments received up to the date of the certificate.
61. Property	61.1	All materials on the Site, Plant, Equipment, Temporary Works and Works are the deemed to be the property of the Employer if the contract is terminated because of a Contractors default.
62. Release from Performance	62.1	If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

Section VI. Special Conditions of Contract

Except where otherwise indicated, all SCC should be filled in by the Employer prior to issuance of the Bidding Documents. Schedules and reports to be provided by the Employer should be annexed.

	A. General		
GCC 1.1 (0)	The Employer is : Bank Of Bhutan Limited.		
GCC 1.1 (r)	The Intended Completion Date for the whole of the Works shall be <u>15/03/2019</u>		
GCC 1.1 (v)	The Project Manager is : Mr. Han Wah Meng		
GCC 1.1 (y)	The Site is located at <i>Core area of Thimphu town along the Norzin lam</i> .		
GCC 1.1 (bb)	The Start Date shall be <u>1/01/2019</u>		
00011(6	The Works consist of: Supply & Installation of Plumbing & Sanitary Consumable Items.		
GCC 1.1 (ff) GCC 2.2	Sectional Completions are: <i>Not applicable</i> .		
GCC 3.1	The language of the contract is <i>English.</i> The language shall be that of the Bid.		
	The law that applies to the Contract is: <i>The law of the Kingdom of Bhutan</i> .		
GCC 15.1	Yes.		
GCC 21.1	The Site Possession Date(s) shall be: <u>30/12/2018</u>		
GCC 25.2	Fees and types of reimbursable expenses to be paid to the Adjudicator: As per actual expenses.		
GCC 25.3	Construction Development Board (CDB) or other Independent Agency:		
	GCC Sub-Clause 24.3—All disputes arising in connection with the present Contract shall be for finally resolved by arbitration in accordance with the rules and procedures of the CDB or any other independent agency that has been appropriately mandated at the time of submission of the dispute through its National Arbitration Committee. The arbitration award shall be final on the parties who shall be deemed to have accepted to carry out the resulting award without delay and to have waived their right to any form of appeal insofar as such waiver can validly be made.		
GCC 26.1	Appointing Authority for the Adjudicator: Construction Development Board.		
B. Time Control			
GCC 27.1	The Contractor shall submit for approval a Program for the Supply/Works within 7 <i>days</i> from the date of the Letter of Acceptance.		
	The Program shall include, but not be limited to, the following elements under the		

	conditions stipulated:
	(a) Quality Assurance Plan (QAP)
	The Quality Assurance Plan shall specify the work methodology, quality control tests and intervals for such tests in accordance with the work specifications for each item of the Works. If in the opinion of the Project Manager the QAP submitted by the Contractor does not fully represent the spirit of the General Conditions of Contract or the Specifications he may seek further clarification from the Contractor before his approval. The Contractor shall strictly follow the QAP in the execution of the Works. If the Contractor does not comply with the QAP, he shall not be allowed to proceed further with the Works. Details of all procedures and compliance documents shall be submitted to the Project Manager for information before each execution stage is commenced. Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the contract.
	C. Quality Control
GCC 35.1	The Defects Liability Period is: <u>12 months.</u>
	D. Cost Control
GCC 45.1	In case of certain Tax exemptions, such as in foreign assistance projects, this specific exemption(s) should be clearly specified in this clause. <i>Not applicable</i>
GCC 47.1	The Contract "is not" subjected to price adjustment in accordance with GCC Clause 47.
GCC 48.1	The proportion of payments retained is: <u>10%</u>
GCC 49.1	Liquidated damage for any delay in the completion of the work will be 0.1% of the initial contract price per day.
GCC 50.1	INDICATIVE PAYMENT SCHEDULE.
	(a) Ten (10) percent of the contract amount shall be paid upon the delivery of material at site.
	(c) Forty (40) percent of the contract amount shall be paid upon completion of 50% of work at Site.
	(d) Forty (40) percent of the total contract amount shall be paid after the work is completed at site and handed over to the client.
	(e) Ten (10) percent of the total contract amount shall be retained and paid only after the completion of Defect Liability Period. This payment can be made available on submission of a bank guarantee of an equivalent amount from a reputed commercial bank acceptable to the client. The guarantee shall be valid for minimum 1 (ONE) year.
GCC 50.2	Not applicable
GCC 51.1	Not applicable

E. Finishing the Contract

GCC 57.1	The date by which operating and maintenance manuals are required is: <u>Applicable</u>
	The date by which "as built" drawings are required is : <u>Applicable</u>
GCC 57.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC Sub-Clause 57.1, or failing to obtain the Project Manager's approval of them by the said date, is : <u>Applicable</u>
GCC 58.2 (i)	The maximum number of days is: <i>No Limit</i> . The contract will be terminated if the employer feels the need of it.
GCC 60.1	The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is 20% up to a maximum of 10% of the initial contract price.

Section VII Technical Specifications and Performance Requirements

A. Summary

This specification covers installation of Plumbing & Sanitary Consumable Items.

B. References

i. **Certified Manufacturer**: All products must be tested and certified for usages. The Original Manufacturer's certification must be submitted along with the materials brought at site.

C. Quality Assurance

i. **Installer Qualifications**: All works shall be carried out by installation firm specialized in Plumbing & Sanitary Fixtures and Fittings, installation or installers certified by the specified manufacturing company.

D. Delivery, Storage, and Handling

- i. Deliver products in original factory packaging, bearing identification of product, manufacturer, batch number, size, dye lot, quantity etc.
- ii. Store room will be provided for storing of products to protect from damage, construction activity, and precipitation in strict accordance with the manufacturer's recommendations.
- iii. Handle all products with appropriate precautions and care as stated on the Safety Data Sheet.
- iv. Electricity will be provided at site by the client for all equipment working engaged for the work.

E. Preparation

i. **Surface Profiling**: Inspect surfaces to receive the Plumbing & Sanitary Fixtures and Fittings; ensure that area is clean in accordance with manufacturer's recommendation.

F. Site Visit.

i. Contractor/Supplier should visit the site and be responsible for all measurements and job conditions.

G. Application

i. Follow all manufacturer's recommendations and written instructions when installing of the Plumbing & Sanitary Fixtures and Fittings.

H. Cleaning

i. Remove all debris and excess materials from the job site and dispose of in accordance with all applicable regulations for waste disposal before handing over of the work.

I. Warranty/Defect Liability Period

The defect liability period for the completed work is 12 months. In case there are any parts or a part which needs to be rectified it should be done in accordance with GCC Clause No 35. The material

J. General

RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Specification Sections, apply to this Section.

1.1 PREINSTALLATION MEETINGS

A. Pre-installation Meetings: Conduct conference at Project site/Conduct meeting at Project Site.

1. Review methods and procedures related to Plumbing & Sanitary Fixtures and Fittings installation including, but not limited to, the following:

a. Review delivery, storage, and handling procedures.

b. Review installation preparation procedures.

1.2 ACTION SUBMITTALS

A. Product Data Sheet: For each type of Plumbing & Sanitary Fixtures and Fittings.

1. Include manufacturer's technical specification.

2. Include manufacturer's written installation recommendations for each type of Plumbing & Sanitary Fixtures and Fittings.

B. Submission of Shop Drawings for approval: For Plumbing & Sanitary Fixtures and Fittings installation, plans showing the following:

1. Elevation Drawings showing all Plumbing & Sanitary Fixtures and Fittings dimensions

2. Section Drawings showing all Plumbing & Sanitary Fixtures and Fittings dimensions

C. Samples for Mock-up: For each of the following Plumbing & Sanitary Fixtures and Fittings products

1.3 INFORMATIONAL SUBMITTALS

A. Qualification/Certificate: For Installer.

B. Sample Warranty: For special warranty.

1.4 CLOSEOUT SUBMITTALS

A. Maintenance Data: For Plumbing & Sanitary Fixtures and Fittings to include in maintenance manuals. Include the following:

1. Methods for maintaining Plumbing & Sanitary Fixtures and Fittings, including cleaning and stain-removal products and procedures and manufacturer's recommended maintenance schedule.

2. Precautions for cleaning materials and methods that could be detrimental to Plumbing & Sanitary Fixtures and Fittings

1.5 QUALITY ASSURANCE

A. Installer Qualifications/Certificate:

1. An experienced installer who is certified by OEM Skill certification.

B. Mockups: Build mockups to verify selections made under Sample submittals, to demonstrate aesthetic effects, and to set quality standards for fabrication and installation.

1. Build mockups at locations and in sizes shown on Drawings.

2. Subject to compliance with requirements, approved mockups may become part of the completed Work if undisturbed at time of Substantial Completion.

1.6 WARRANTY

A. Warranty for Plumbing & Sanitary Fixtures and Fittings: Manufacturer agrees to replace components of Plumbing & sanitary Fixtures and Fittings installation that fail in materials or workmanship within specified warranty period.

1.7 CLEANING AND PROTECTION

A. Perform the following operations immediately after installing Plumbing & Sanitary Fixtures and Fittings:

1. Remove excess adhesive and other surface blemishes using cleaner recommended by OEM.

2. Protect Plumbing & Sanitary Fixtures and Fittings after installation.

i. should however have a warranty period by the manufacturer.

K. Technical Bid

Details of Items Quoted

S / N 0	Description	Others	Total Unit	Quoted Yes/No
	(Common Toilets)			
1	Back to Wall, Wall Hung Water Closet			
	Material: Vitreous China (BS Standard) Bowl Shape: Oval Trap Type: P-Trap Trapway Type: Concealed Colour: White finish UF soft seat cover white Dimensions: approximate L380mm x W520mm x H365 or EQ			
	Installation: Inclusive of all accessories with Wall Mounting Frame, Installation Kit, Drain Pipe Connection Set for Wall Hung WC with Flush Control Plate			
1	(Executive Toilets Disable Toilets) Single Piece Water Closet			
a	Material: Vitreous China (BS Standard) Bowl Shape: Oval Trap Type: P-Trap Trapway Type: Concealed Colour: White UF soft seat cover Dimensions: approximate L390mm x W710mm x H720 or EQ <i>Installation: Inclusive of all accessories</i>			
1 b	Toilet Roll Holder with Stainless Steel Flap			
	Colour: Chrome finish Installation: Inclusive of all accessories			

1 c	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange		
	Colour: Chrome finish		
	Installation: Inclusive of all accessories		
1 d	Flexible Tube		
	Colour: Chrome finish		
	Flexi Tube Diameter: 12mm		
	Length 1.5m		
	With Nuts		
	Installation: Inclusive of all accessories		
1 d	Angular Stop Cock With Wall Flange		
	Colour: Chrome finish		
	Installation: Inclusive of all accessories		
	, ,		
1 e	Health Faucet		
	Colour: Chrome Finish		
	Length: 1.2 m with Wall Hock		
	Diameter: 8 mm		
	Installation: Inclusive of all accessories		
1 f	Sensor Operated Smartflow Hand		
	Dryers. (Common Toilets)		
	Components and Material		
	One-piece cover in ABS thermoplastic. Fixed to the base by two screws.		
	Thermoplastic PP + talcum base.		
	Class B brush motor incorporating a safety thermal cut- off.		
	PP UL94-V0 helicoidal fan wheel.		
	Heating element incorporates a safety thermal cut-off.		
	Electronic infrared detection sensor with an adjustable detection distance(15-25 cm).		
	Installation: Inclusive of all accessories		
1			

1 g	Manual Wall Mount Soap Dispenser (Common Toilets)		
	Components and Material		
	Soap Dispenser capacity 1200ml		
	Standard lock and key.		
	ABS thermoplastic push-button.		
	SAN thermoplastic tank		
	Corrosion-resistant anti-drip valve.		
	Suitable for chlorine-free hand soap with a neutral pH.		
	Installation: Inclusive of all accessories		
1 h	Soap Dispenser with Glass Bottle (Executive Toilets and Disable Toilets)		
	Soap Dispenser capacity 500ml		
	Installation: Inclusive of all accessories		
1 i	Plane Pedal Bin		
	Material: Stainless Steel		
	Colour: Silver		
	Capacity (1): 22 L		
	Diameter (inch): 300 mm		
	Material Grade: SS304		
	Installation: Inclusive of all accessories		
	(Common Toilets & Executive Toilets)		
2	Wash Basin/Under Counter		
	Material: Vitreous China (BS Standard)		
	Shape of Basin: Rectangle		
	Overflow Hole		
	Colour: White finish		
	Dimensions: approximate. L480mm x W365mm x H205mm or EQ		
	Installation: Inclusive of all accessories		
2 a	Bottle Trap for Wash Basin (Chrome)		
	Colour: Chrome finish		

	Dimensions: approximate. 32mm Size, L300mm x W190mm or EQ
	Installation: Inclusive of all accessories
2 b	Waste Coupling 32mm size, with 130mm height full thread
	Colour: Chrome finish Installation: Inclusive of all accessories
2 c	Single Lever Basin Mixer without Popup Waste System
	Colour: ChromeApproximate 450mm Long Braided HosesDimensions: approximate. L115mm x H160mm or EQInstallation: Inclusive of all accessories
2 d	Angular Stop Cock With Wall Flange
	Colour: Chrome finish Installation: Inclusive of all accessories
3	Urinal Bowl (Male Common Toilets)
	Material: Vitreous China (BS Standard) Bowl Shape: Oval Trap Type: P-Trap Trapway Type: Concealed Colour: White finish Dimensions: approximate: L370mm x W315mm x H620mm or EQ
	Installation: Inclusive of all accessories
3 a	Infrared Urinal Sensor
	Colour: Chrome finish Dimensions: approximate: 128mm x 128mm x 78mm or EQ <i>Installation: Inclusive of all accessories:</i>

	Sensor Controlled Battery operated mixer with suitable extension piece for Urinal comprising light sensing device and solenoid valve including interconnection control cabling between sensor & Solenoid valve, Power AC/DC adaptor and cable		
4	Wash Basin Wall Hung (Disable Toilet)		
	Material: Vitreous China (BS Standard) Shape of Basin: Rectangle		
	Overflow Hole Colour: White finish		
	Dimensions: approximate. L610mm x W510mm or EQ		
	Installation: Inclusive of all accessories with Wall Hung Frame		
4 a	Bottle Trap for Wash Basin (Chrome)		
	Colour: Chrome finish		
	Dimensions: approximate. L200mm x W290mm or EQ		
	Installation: Inclusive of all accessories		
4 b	Waste Coupling 32mm size, with 80mm height full thread		
	Colour: Chrome finish		
	Installation: Inclusive of all accessories		
4 c	Single Lever Basin Mixer without Popup Waste System		
	Colour: Chrome finish		
	Approximate 550mm Long Braided Hoses		
	Dimensions: approximate. L115mm x H160mm or EQ		
	Installation: Inclusive of all accessories		
4 d	Angular Stop Cock With Wall Flange		
	Colour: Chrome finish		
	Installation: Inclusive of all accessories		

5	Drop In Pantry Sink		
	Undermount Stainless Steel Sink 32mm Shape of Basin: Rectangle Overall Size: L510mm x W430mm x D175mm Colour: Silver Material: Stainless Steel Material Grade: SS304 <i>Installation: Inclusive of all accessories</i>		
5 a	Bottle Trap for Wash Basin (Chrome)		
	Colour: Chrome finish Dimensions: approximate. L200mm x W290mm or EQ <i>Installation: Inclusive of all accessories</i>		
5 b	Angular Stop Cock With Wall Flange		
	Colour: Chrome finish Installation: Inclusive of all accessories		
5 c	Waste Coupling 32mm size, with 130mm height full thread		
	Colour: Chrome finish Installation: Inclusive of all accessories		
5 d	Single Lever Kitchen Sink Mixer with Swinging Spout (Table Top Mounted)		
	Colour: Chrome finish Approximate 550mm Long Braided Hoses Dimensions: approximate. L225mm x H103mm or EQ <i>Installation: Inclusive of all accessories</i>		
5 e	Grab Bar Vertical Swing, White		
	Colour: White finish Installation: Inclusive of all accessories		
	Cafeteria (Ground floor & Second floor)		

6	Anti Scratch Stainless Steel Kitchen Sink		
	Dimension: Approximate. 915mm x 460mm x 165mm/EQ		
	Included Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression Pad		
	Finish: Electro- Polished (anti-bacterial)		
	Material Grade: SS304		
	Material: Stainless Steel Colour: Silver		
	Installation: Inclusive of all accessories		
6 a	Sink Mixer with extension swinging spout (Table Top Mounted Type)		
	Colour: Chrome finish		
	Approximate 600mm Long Braided Hoses		
	Approximate Size: L210mm x H330mm		
	Installation: Inclusive of all accessories		
6 b	Angular Stop Cock With Wall Flange		
	Colour: Chrome finish		
	Installation: Inclusive of all accessories		
6 c	Long Stainless Steel Scrub Sink		
	Material: Stainless Steel		
	Material Grade: SS304 Wall Mounted		
	Colour: Silver		
	Shape: Rectangular		
	Sink Type: Single Bowl		
	Soap Dispenser capacity 1200ml		
	Sink Mixer with extension swinging spout (Sink Top Mounted Type)		
	Approximate 600mm Long Braided Hoses		
	Dimensions: approximate. L2000mm x W450 x H250mm or EQ		
	Finishing: Polished		

	Installation: Inclusive of all accessories
-7	- Heat Pump For Hot Water
- 7 a -	- Technical and Specification Capacity 200 (L)
	Heating Capacity 2.2 (kW)
	Input Power 0.55 (kW) Working Ambient Temperature (Deg C) -7~43
	Max Outlet Temperature (Deg C) 55/60/75
	Power Supply (V/Ph/Hz) 220/1/50
	Operating Voltage Range (V) 198V' 242V
	Heating Element (kW) 2.0kW
	Refrigerant Type R134a
	Max Water Pressure (Mpa) 0.8
	Installation: Inclusive of all accessories
7 b	Technical and Specification
	Capacity 300 (L)
	Heating Capacity 2.2 (kW)
	Input Power 0.55 (kW)
	Working Ambient Temperature (Deg C) -7~43
	Max Outlet Temperature (Deg C) 55/60/75
	Power Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' 242V
	Heating Element (kW) 2.0kW
	Refrigerant Type R134a
	Max Water Pressure (Mpa) 0.8
	Installation: Inclusive of all accessories
7 c	Electric Water Storage Heater (Geyser)
	Technical and Specification
	Capacity 6 (L)
	Input Power 2 (kW)
	Power Supply (V/Ph/Hz) 220/1/50
	Operating Voltage Range (V) 198V' 242V Working Ambient Temperature (Deg C) -7~15
	Thermal Cutoff
	Mount Type; Vertical
	Installation: Inclusive of all accessories


7 d	Angular Stop Cock With Wall Flange		
	Colour: Chrome finish		
	Installation: Inclusive of all accessories		
7 e	Flexible Tube		
	Colour: Chrome finish		
	Flexi Tube Diameter: 12mm		
	Length 1.5m		
	With Nuts		
	Installation: Inclusive of all accessories		
8	FRP Water Storage Tank		
	Layer: Double Layer		
	Shape: Circular		
	Capacity: 2000 (L)		
	Grade: Premium grade material		
	Resistance: Ensuring resistance against winter temperature, leakage and durability		
	Weight: Light Weight		
	Hygienic Storage		
	Colour: Black/White		
	Installation: Inclusive of all accessories, provide opening for inlets, outlets, overflow outlets. Provide and fixing stainless steel drip tray underneath the water storage tank with drain off points connected to the nearest drain line		

(Signature of the Bidder)


Printed Name

Designation, Seal Date:


GROUND FLOOR



Section VIII. Drawings




1ST FLOOR



PERMISSI LITOOT FOR BOCOM FLOOR


 2^{ND} FLOOR



3RD FLOOR

a B ¢Π 8 ၜ႞ၜၜ႞႞ၜၜ႞ 000 ႞ၜႄ႞႞ၜၜ႞႞ၜၜ႞ THE COL Ē d 8 1.19 00 -}- 00 [jaB oopa 8 -----UTLINT. THE OTHER 110000 0000 M \mathbb{N} 0 o bo B 38 00000000000 LTD: DOM CP ---00000000000 PT. W - M 806 в 36 Íø M0000 0000 M M Ħ 00 co do P 00 9,9, ρő 8 0 ,00 0 CT.FT Ē Do 9.F đ Þ 000 -O E Ŭ Ç PERMITS LATEST TOR PORTE PLOCE

4TH FLOOR



5TH FLOOR

CUT IN SLAB FLOOR FINER TO BE DECEDED BY HE CLIENT AT A LATER STAGEDURING CONSTRUCTION DN 8 걟 ROOF OVER HANG=2400MM LIFT MACHINE 5 PERSONAL PERSON NUMBER ADDRESS FROM

ZAMTHO FLOOR

Section X. Bill of Quantities

PLUMBING & SANITARY FIXTURES and FITTINGS BOQ

S/No	Description	Approved Make	Proposed Make	Qty	Unit	Supply Rate (A)	Installation Rate(B)	Total Rate (A+B)	Total Amount (Total Rate x Qty)
A	Compliance: IS 2556.2:2004/IS 2556.1:1994 EN 997 :2012+A1		Submit all product catalogues and product code.						
	Providing and Fixing Plumbing & Sanitary Fixtures & Fittings:								
	(Common Toilets)								
1	Back to Wall, Wall Hung Water Closet	Jaquar/Kohler Cera/ Duravit/Eros Rak/Kerovit		48	(Nos)				
	Material: Vitreous China (BS Standard)								
	Bowl Shape: Oval								
	Trap Type: P-Trap								
	Trapway Type: Concealed								
	Colour: White finish								
	UF soft seat cover white								
	Dimensions: approximate L380mm x W520mm x H365 or EQ								

Section V	II: Specifications and Performance Requirements			79		
	Installation: Inclusive of all accessories with Wall Mounting Frame, Installation Kit, Drain Pipe Connection Set for Wall Hung WC with Flush Control Plate		48	(Nos)		
	(Executive Toilets Disable Toilets)					
1a	Single Piece Water Closet	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit	11	(Nos)		
	Material: Vitreous China (BS Standard)					
	Bowl Shape: Oval Trap Type: P-Trap Trapway Type: Concealed Colour: White UF soft seat cover Dimensions: approximate L390mm x W710mm x H720 or EQ <i>Installation: Inclusive of all accessories</i>					
1b	Toilet Roll Holder with Stainless Steel Flap		59	(Nos)		
	Colour: Chrome finish Installation: Inclusive of all accessories					

80	

ection VII: Specifications and Performance Requireme	nis				80			
Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange			59	(Nos)				
Colour: Chrome finish Installation: Inclusive of all accessories								
Flexible Tube			11	(Nos)				
Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories								
Angular Stop Cock With Wall Flange			11	(Nos)				
Colour: Chrome finish Installation: Inclusive of all accessories								
Health Faucet Colour: Chrome Finish Length: 1.2 m with Wall Hock Diameter: 8 mm <i>Installation: Inclusive of all accessories</i>			59	(Nos)				
	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flangeColour: Chrome finish Installation: Inclusive of all accessoriesFlexible TubeColour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessoriesAngular Stop Cock With Wall FlangeColour: Chrome finish Installation: Inclusive of all accessoriesHealth FaucetColour: Chrome Finish Length 1.2 m with Wall Hock Diameter: 8 mm	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flangeColour: Chrome finish Installation: Inclusive of all accessoriesFlexible TubeColour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessoriesAngular Stop Cock With Wall FlangeColour: Chrome finish 	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange Colour: Chrome finish Installation: Inclusive of all accessories Flexible Tube Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories Angular Stop Cock With Wall Flange Colour: Chrome finish Installation: Inclusive of all accessories Health Faucet Colour: Chrome Finish Length: 1.2 m with Wall Hock Diameter: 8 mm	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange59Colour: Chrome finish Installation: Inclusive of all accessories11Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories11Angular Stop Cock With Wall Flange11Colour: Chrome finish Installation: Inclusive of all accessories59Health Faucet59Colour: Chrome finish Installation: Inclusive of all accessories59	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange59(Nos)Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Flexible Tube11(Nos)Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories11(Nos)Angular Stop Cock With Wall Flange Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Colour: Chrome finish Length 1.5m With Nuts Installation: Inclusive of all accessories11(Nos)Colour: Chrome finish Installation: Inclusive of all accessories59(Nos)	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange59(Nos)Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Flexible Tube11(Nos)Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories11(Nos)Angular Stop Cock With Wall Flange Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Colour: Chrome finish Installation: Inclusive of all accessories59(Nos)Colour: Chrome finish Installation: Inclusive of all accessories59(Nos)Colour: Chrome Finish Length: 1.2 m with Wall Hock Diameter: 8 mm59(Nos)	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flange59(Nos)Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Flexible Tube11(Nos)Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories11(Nos)Angular Stop Cock With Wall Flange Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Health Faucet Colour: Chrome Finish Length: 1.2 m with Wall Hock Diameter: 8 mm59(Nos)	Round Wall Outlet with Shower Hock, Shutoff Valve and wall flangeS9(Nos)(Nos)Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Image: Colour: Chrome finish Flexi TubeColour: Chrome finish Plexi Tube Diameter: 12mm Length 1.5m With Nuts Installation: Inclusive of all accessories11(Nos)Image: Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5mAngular Stop Cock With Wall FlangeImage: Colour: Chrome finish Installation: Inclusive of all accessories11(Nos)Image: Colour: Chrome finish Imatellation: Inclusive of all accessoriesColour: Chrome finish Installation: Inclusive of all accessoriesImage: Colour: Chrome finish Imatellation: Inclusive of all accessoriesImage: Colour: Chrome finish Image: Colour: Chrome finish <br< td=""></br<>

Section VII	: Specifications and Performance Requirements	 		81	 	
1f	Sensor Operated Smartflow Hand Dryers. (Common Toilets)		12	(Nos)		
	Components and Material					
	One-piece cover in ABS thermoplastic. Fixed to the base by two screws.					
	Thermoplastic PP + talcum base.					
	Class B brush motor incorporating a safety thermal cut-off.					
	PP UL94-V0 helicoidal fan wheel.					
	Heating element incorporates a safety thermal cut-off.					
	Electronic infrared detection sensor with an adjustable detection distance(15-25 cm).					
	Installation: Inclusive of all accessories					
1g	Manual Wall Mount Soap Dispenser (Common Toilets)		13	(Nos)		
	Components and Material					
	Soap Dispenser capacity 1200ml					
	Standard lock and key. ABS thermoplastic push-button.					
	SAN thermoplastic tank					
	Corrosion-resistant anti-drip valve.					
	Suitable for chlorine-free hand soap with a neutral pH.					
	Installation: Inclusive of all accessories					

82

36	ection VII: Specifications and Performance Requireme	nts	 		82	-	
1h	Soap Dispenser with Glass Bottle (Executive Toilets and Disable Toilets)		11	(Nos)			
	Soap Dispenser capacity 500ml						
	Installation: Inclusive of all accessories						
1i	Plane Pedal Bin		23	(Nos)			
	Material: Stainless Steel						
	Colour: Silver						
	Capacity (l): 22 L						
	Diameter (inch): 300 mm						
	Material Grade: SS304						
	(Common Toilets & Executive Toilets)						
2	Wash Basin/Under Counter	Jaquar/Kohler/ Cera/ Duravit/Eros/ Rak/ Kerovit	47	(Nos)			
	Material: Vitreous China (BS Standard)						
	Shape of Basin: Rectangle						
	Overflow Hole						
	Colour: White finish						
	Dimensions: approximate. L480mm x W365mm x H205mm or EQ						
	Installation: Inclusive of all accessories						

Section VI	: Specifications and Performance Requirements			83		
2a	Bottle Trap for Wash Basin (Chrome) Colour: Chrome finish Dimensions: approximate. 32mm Size, L300mm x W190mm or EQ Installation: Inclusive of all accessories		47	(Nos)		
2b	Waste Coupling 32mm size, with 130mm height full thread Colour: Chrome finish		47	(Nos)		
2c	Installation: Inclusive of all accessories Single Lever Basin Mixer without Popup Waste System		47	(Nos)		
	Colour: Chrome Approximate 450mm Long Braided Hoses Dimensions: approximate. L115mm x H160mm or EQ <i>Installation: Inclusive of all accessories</i>					
2d	Angular Stop Cock With Wall Flange		94	(Nos)		
	Colour: Chrome finish Installation: Inclusive of all accessories					

56	ction VII: Specifications and Performance Requireme	nts			84		
3	Urinal Bowl (Male Common Toilets)	Jaquar/Kohler/ Cera/ Duravit/Eros/ Rak/ Kerovit	18	(Nos)			
	Material: Vitreous China (BS Standard) Bowl Shape: Oval Trap Type: P-Trap Trapway Type: Concealed Colour: White finish Dimensions: approximate: L370mm x W315mm x H620mm or EQ <i>Installation: Inclusive of all accessories</i>						
3a	Infrared Urinal Sensor Colour: Chrome finish Dimensions: approximate: 128mm x 128mm x 78mm or EQ Installation: Inclusive of all accessories: Sensor Controlled Battery operated mixer with suitable extension piece for Urinal comprising light sensing device and solenoid valve including interconnection control cabling between sensor & Solenoid valve, Power AC/DC adaptor and cable		18	(Nos)			

	: Specifications and Performance Requirements				85			
4	Wash Basin Wall Hung (Disable Toilet)	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit		6	(Nos)			
	Material: Vitreous China (BS Standard)							
	Shape of Basin: Rectangle							
	Overflow Hole							
	Colour: White finish							
	Dimensions: approximate. L610mm x W510mm or EQ							
	Installation: Inclusive of all accessories with Wall Hung Frame							
4a	Bottle Trap for Wash Basin (Chrome)			6	(Nos)			
	Colour: Chrome finish							
	Dimensions: approximate. L200mm x W290mm or EQ							
	Installation: Inclusive of all accessories							
4b	Waste Coupling 32mm size, with 80mm height full thread			6	(Nos)			
	Colour: Chrome finish							
	Installation: Inclusive of all accessories							
	instantation. Inclusive of an accessories							
		1	1	t	1	I I	1	1

<u>S</u> (Section VII: Specifications and Performance Requirements 86										
4c	Single Lever Basin Mixer without Popup Waste System			6	(Nos)						
	Colour: Chrome finish										
	Approximate 550mm Long Braided Hoses										
	Dimensions: approximate. L115mm x H160mm or EQ										
	Installation: Inclusive of all accessories										
4d	Angular Stop Cock With Wall Flange			12	(Nos)						
	Colour: Chrome finish										
	Installation: Inclusive of all accessories										
5	Drop In Pantry Sink	Jaquar/Kohler/ Cera/ Duravit/Eros/ Rak/ Kerovit		6	(Nos)						
	Undermount Stainless Steel Sink 32mm										
	Shape of Basin: Rectangle										
	Overall Size: L510mm x W430mm x D175mm										
	Colour: Silver										
	Material: Stainless Steel Material Grade: SS304										
	Installation: Inclusive of all accessories										

	: Specifications and Performance Requirements			87		
5a	Bottle Trap for Wash Basin (Chrome)		6	(Nos)		
	Colour: Chrome finish Dimensions: approximate. L200mm x					
	W290mm or EQ					
	Installation: Inclusive of all accessories					
5b	Angular Stop Cock With Wall Flange		12	(Nos)		
50	Angular Stop Cock with wan Flange		12	(INOS)		
	Colour: Chrome finish					
	Installation: Inclusive of all accessories					
5c	Waste Coupling 32mm size, with 130mm height full thread		6	(Nos)		
	Colour: Chrome finish					
	Installation: Inclusive of all accessories					
5d	Single Lever Kitchen Sink Mixer with Swinging Spout (Table Top Mounted)		6	(Nos)		
	Colour: Chrome finish					
	Approximate 550mm Long Braided Hoses					
	Dimensions: approximate. L225mm x H103mm or EQ					
	Installation: Inclusive of all accessories					

ection VII: Specifications and Performance Requireme	ins				88			
Grab Bar Vertical Swing, White Colour: White finish			12	(Nos)				
Cafeteria (Ground floor & Second floor)								
Anti Scratch Stainless Steel Kitchen Sink	Blue Star/Jayna/ Equivalent		2	(Nos)				
Dimension: Approximate. 915mm x 460mm x 165mm/EQ								
Included Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression Pad								
Finish: Electro- Polished (anti-bacterial)								
Material Grade: SS304 Material: Stainless Steel Colour: Silver								
Sink Mixer with extension swinging spout (Table Top Mounted Type)	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit		2	(Nos)				
Colour: Chrome finish Approximate 600mm Long Braided Hoses Approximate Size: L210mm x			2	(Nos)				
H330mm Installation: Inclusive of all accessories								
	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessoriesCafeteria (Ground floor & Second floor)Anti Scratch Stainless Steel Kitchen SinkDimension: Approximate. 915mm x 460mm x 165mm/EQIncluded Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression PadFinish: Electro- Polished (anti-bacterial)Material Grade: SS304 Material: Stainless Steel Colour: SilverSink Mixer with extension swinging spout (Table Top Mounted Type)Colour: Chrome finish Approximate 600mm Long Braided Hoses Approximate Size: L210mm x H330mm	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessories Cafeteria (Ground floor & Second floor)Blue Star/Jayna/ EquivalentAnti Scratch Stainless Steel Kitchen SinkBlue Star/Jayna/ EquivalentDimension: Approximate. 915mm x 460mm x 165mm/EQBlue Star/Jayna/ EquivalentIncluded Accessories: S.S. Waste 	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessoriesCafeteria (Ground floor & Second floor)Anti Scratch Stainless Steel Kitchen SinkBlue Star/Jayna/ EquivalentDimension: Approximate. 915mm x 460mm x 165mm/EQBlue Star/Jayna/ EquivalentIncluded Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression PadBlue Star/Jayna/ EquivalentFinish: Electro- Polished (anti-bacterial)Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ KerovitSink Mixer with extension swinging spout (Table Top Mounted Type)Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessories12Cafeteria (Ground floor & Second floor)Blue Star/Jayna/ Equivalent2Anti Scratch Stainless Steel Kitchen SinkBlue Star/Jayna/ Equivalent2Dimension: Approximate. 915mm x 460mm x 165mm/EQBlue Star/Jayna/ Equivalent2Included Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression Pad32Finish: Electro- Polished (anti-bacterial) Material: Stainless Steel Colour: SilverJaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2Sink Mixer with extension swinging spout (Table Top Mounted Type)Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2Colour: Chrome finish Approximate 600mm Long Braided Hoses Approximate Size: L210mm x H330mm22	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessories12(Nos)Anti Scratch Stainless Steel Kitchen SinkBlue Star/Jayna/ Equivalent2(Nos)Dimension: Approximate. 915mm x 460mm x 165mm/EQBlue Star/Jayna/ Equivalent2(Nos)Included Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression PadJaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2(Nos)Sink Mixer with extension swinging spout (Table Top Mounted Type)Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2(Nos)	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessories12(Nos)Cafeteria (Ground floor & Second floor)Blue Star/Jayna/ Equivalent2(Nos)Anti Scratch Stainless Steel Kitchen SinkBlue Star/Jayna/ Equivalent2(Nos)Dimension: Approximate. 915mm x 460mm x 165mm/EQ Included Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket.Chopping Board Under Coating with Sound Suppression Pad2(Nos)Finish: Electro- Polished (anti-bacterial) Material: Stainless Steel Colour: SilverJaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2(Nos)Colour: Chrome finish Approximate 600mm Long Braided Hoses Approximate Size: L210mm x H330mmJaquar/Kohler/ Cera2(Nos)	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessories12(Nos)Cafeteria (Ground floor & Second floor)Blue Star/Jayna/ Equivalent2(Nos)Anti Scratch Stainless Steel Kitchen SinkBlue Star/Jayna/ Equivalent2(Nos)Dimension: Approximate. 915mm x 460mm x 165mm/EQBlue Star/Jayna/ Equivalent2(Nos)Included Accessories: S.S. Waste Coupling Over Flow, Waste Pipe S.S. Basket. Chopping Board Under Coating with Sound Suppression PadJaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2(Nos)Sink Mixer with extension swinging spout (Table Top Mounted Type)Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2(Nos)Colour: Chrome finish Approximate 600mm Long Braided Hoses Approximate Size: L210mm x H330mmJaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit2(Nos)	Grab Bar Vertical Swing, White Colour: White finish Installation: Inclusive of all accessoriesImage: Colour State of all accessoriesImage: Colour State of all accessoriesCafeteria (Ground floor & Second floor)Blue Stat/Jayna/ Equivalent2(Nos)Anti Scratch Stainless Steel Kitchen SinkBlue Stat/Jayna/ Equivalent2(Nos)Dimension: Approximate. 915mm x 460mm x 165mm/EQBlue Stat/Jayna/ Equivalent2(Nos)Included Accessories: S.S. Waste Couping Over Flow, Waste Pipe S.S. Basket. Chopping Board Under Coating with Sound Suppression PadJaquar/Kohler/ Cera/ Duravit/Eros/R alx'2(Nos)Sink Mixer with extension swinging spout (Table Top Mounted Type)Jaquar/Kohler/ Cera/ Duravit/Eros/R alx'2(Nos)Colour: Chrome finish Approximate 600mm Long Braided Hoses2(Nos)2(Nos)Approximate Size: L210mn x H330mm2(Nos)2(Nos)

S	Section VI	: Specifications and Performance Requirements	89	89					
	6b	Angular Stop Cock With Wall Flange	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit						

6b	Angular Stop Cock With Wall Flange	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit					
	Colour: Chrome finish		10	(Nos)			
	Installation: Inclusive of all accessories						
6с	Long Stainless Steel Scrub Sink	Blue Star/Jayna/ Equivalent	1	(Nos)			
	Material: Stainless Steel Material Grade: SS304 Wall Mounted						
	Colour: Silver						
	Shape: Rectangular						
	Sink Type: Single Bowl						
	Soap Dispenser capacity 1200ml						
	Sink Mixer with extension swinging spout (Sink Top Mounted Type)						
	Approximate 600mm Long Braided Hoses						
	Dimensions: approximate. L2000mm x W450 x H250mm or EQ						
	Finishing: Polished						
	Installation: Inclusive of all accessories						

cuon vii. Opecifications and r enormance rrequireme	1115				90			
Heat Pump For Hot Water <i>Installation: Inclusive of all accessories</i>	AO Smith/ Jaquar/Stiebel Eltron							
Technical and Specification			1	(Nos)				
_				, í				
• • • • • • • • • • • • • • • • • • • •								
Working Ambient Temperature (Deg C) -7~43								
Max Outlet Temperature (Deg C) 55/60/75								
Power Supply (V/Ph/Hz) 220/1/50								
Operating Voltage Range (V) 198V' 242V								
Heating Element (kW) 2.0kW								
Refrigerant Type R134a								
Max Water Pressure (Mpa) 0.8								
			1					
-			1	(INOS)				
• • • • • • • • • • • • • • • • • • • •								
• ` ` `								
Working Ambient Temperature (Deg C) -7~43								
Max Outlet Temperature (Deg C) 55/60/75								
Power Supply (V/Ph/Hz) 220/1/50								
Operating Voltage Range (V) 198V' 242V								
Heating Element (kW) 2.0kW								
Refrigerant Type R134a								
Max Water Pressure (Mpa) 0.8								
	Heat Pump For Hot Water Installation: Inclusive of all accessoriesTechnical and Specification Capacity 200 (L)Heating Capacity 2.2 (kW) Input Power 0.55 (kW)Working Ambient Temperature (Deg C) -7~43Max Outlet Temperature (Deg C) 55/60/75Power Supply (V/Ph/Hz) 220/1/50Operating Voltage Range (V) 198V' 242VHeating Element (kW) 2.0kW Refrigerant Type R134a Max Water Pressure (Mpa) 0.8Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)Working Ambient Temperature (Deg C) -7~43Max Outlet Temperature (Deg C) -55/60/75Power Supply (V/Ph/Hz) 220/1/50Operating Voltage Range (V) 198V' 242V	Heat Pump For Hot Water Installation: Inclusive of all accessoriesJaquar/Stiebel EltronTechnical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)Working Ambient Temperature (Deg C) -7~43Max Outlet Temperature (Deg C) 55/60/75Power Supply (V/Ph/Hz) 220/1/50Operating Voltage Range (V) 198V' 242V Heating Element (kW) 2.0kW Refrigerant Type R134a Max Water Pressure (Mpa) 0.8Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW) Working Ambient Temperature (Deg C) -7~43Max Outlet Temperature (Deg C) 55/60/75Power Supply (V/Ph/Hz) 220/1/50Operating Voltage Range (V) 198V' 242VHeating Element (kW) 2.0kW Refrigerant Type R134aMax Outlet Temperature (Deg C) 55/60/75Power Supply (V/Ph/Hz) 220/1/50Operating Voltage Range (V) 198V' 242VHeating Element (kW) 2.0kW Refrigerant Type R134a	Heat Pump For Hot Water Installation: Inclusive of all accessoriesAO Smith/ Jaquar/Stiebel EltronTechnical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)EltronWorking Ambient Temperature (Deg C) -7-43	Heat Pump For Hot Water Installation: Inclusive of all accessoriesAO Smith/ Jaquar/Stiebel EltronTechnical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1Working Ambient Temperature (Deg C) -7~43-77-43-7Max Outlet Temperature (Deg C) 55/60/75-7Power Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' 242V Heating Element (kW) 2.0kW Refrigerant Type R134a Max Water Pressure (Mpa) 0.81Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW) Working Ambient Temperature (Deg C) -7~431Max Outlet Temperature (Deg C) -7~43-7S5/60/75-7Power Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' 242V1Heating Element (kW) 2.0kW Working Ambient Temperature (Deg C) -7~431Max Outlet Temperature (Deg C) -7~43-7Power Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' 242V-7Heating Element (kW) 2.0kW Refrigerant Type R134a-7	Heat Pump For Hot Water Installation: Inclusive of all accessoriesAO Smith/ Jaquar/Stiebel EltronI(Nos)Technical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Working Ambient Temperature (Deg C) -7-43-7-431(Nos)Max Outlet Temperature (Deg C) 55/60/75-7-4311(Nos)Operating Voltage Range (V) 198V' 242V220/1/5011(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Max Outlet Temperature (Deg C) 55/60/75-1(Nos)1Operating Voltage Range (V) 198V' 242V-1(Nos)1Heating Capacity 2.2 (kW) Input Power 0.55 (kW)-11(Nos)Max Outlet Temperature (Deg C) 55/60/75-1-1(Nos)Operating Voltage Range (V) 198V' 242V-1-1-1Heating Element (kW) 2.0kW Refrigerant Type R134a-1-1-1	Heat Pump For Hot Water Installation: Inclusive of all accessoriesAO Smith/ Jaquar/Stiebel EltronTechnical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Working Ambient Temperature (Deg C) -7-43-7-431(Nos)Max Outlet Temperature (Deg C) 55/60/75-7-43-1(Nos)Operating Voltage Range (V) 198V' 242V1(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Max Outlet Temperature (Deg C) -7-43-1(Nos)Max Outlet Temperature (Deg C) -7-43Max Outlet Temperature (Deg C) -7-43Max Outlet Temperature (Deg C) -7-43Max Outlet Temperature (Deg C) -7-43Max Outlet Temperature (Deg C) -55/60/75Power Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' -242VHeating Element (kW) 2.0kW Refrigerant Type R134a	Heat Pump For Hot Water Installation: Inclusive of all accessoriesAO Smith/ Jaquar/Stiebel EltronTechnical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Working Ambient Temperature (Deg C) -7-43-7-431(Nos)Max Outlet Temperature (Deg C) 55/60/75-7-43-1(Nos)Technical and Specification Capacity 2.0 (W) Heating Element (kW) 2.0kW Refrigerant Type R134a1(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Working Ambient Temperature (Deg C) 55/60/75-7-431(Nos)Technical and Specification Capacity 300 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)1(Nos)Working Ambient Temperature (Deg C) -7-43-7-431(Nos)Max Outlet Temperature (Deg C) -7-43-7-43-1(Nos)Max Outlet Temperature (Deg C) -7-43-7-43-1(Nos)Working Ambient Temperature (Deg C) -7-43-7-43-1(Nos)Max Outlet Temperature (Deg C) -7-43-7-43-1(Nos)Working Ambient Temperature (Deg C) -7-43-7-43-1-1Max Outlet Temperature (Deg C) -7-43-7-43-1-1Max Outlet Temperature (Deg C) -7-43-7-43-1-1Max Outlet Temperature (Deg C) -7-43-1-1-1Max Outlet Temperature (Deg C) -7-43-1-1-1Max Outlet Temperature (Deg C) -7-43	Heat Pump For Hot Water Installation: Inclusive of all accessoriesAO Smith/ Jaquar/Stiebel ElfronI(Nos)Technical and Specification Capacity 200 (L) Heating Capacity 2.2 (kW) Input Power 0.55 (kW)I(Nos)IWorking Ambient Temperature (Deg C) 55/60/75II(Nos)IOperating Voltage Range (V) 198V' 242VIII(Nos)Heating Capacity 2.2 (kW) Input Power 0.55 (kW)II(Nos)IMax Outlet Temperature (Deg C) 55/60/75IIIIOperating Voltage Range (V) 198V' 242VIIIIHeating Element (kW) 2.0kW Refrigerant Type R134a Max Water Pressure (Mpa) 0.8II(Nos)Technical and Specification Capacity 2.2 (kW) Input Power 0.55 (kW) Working Ambient Temperature (Deg C) 55/60/75II(Nos)Power Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' 2.42VIII(Nos)Heating Element (kW) 2.0kW Refrigerant Type R134aIIIIMax Outlet Temperature (Deg C) 55/60/75IIIIIPower Supply (V/Ph/Hz) 220/1/50 Operating Voltage Range (V) 198V' 242VIIIIIHeating Element (kW) 2.0kW Refrigerant Type R134aIIIIIIHeating Element (kW) 2.0kW Refrigerant Type R134aIIIIIIIHeating Element (kW) 2.0kW Refrigerant Type R134aIII

7c	Electric Water Storage Heater (Geyser)	AO Smith/ Jaquar/Stiebel Eltron	5	(Nos)		
	Technical and Specification					
	Capacity 6 (L)					
	Input Power 2 (kW)					
	Power Supply (V/Ph/Hz) 220/1/50					
	Operating Voltage Range (V) 198V' 242V					
	Working Ambient Temperature (Deg C) -7~15					
	Thermal Cutoff					
	Mount Type; Vertical					
	Installation: Inclusive of all accessories					
7d	Angular Stop Cock With Wall Flange	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit	10	(Nos)		
	Colour: Chrome finish					
	Installation: Inclusive of all accessories					
7e	Flexible Tube Colour: Chrome finish Flexi Tube Diameter: 12mm Length 1.5m	Jaquar/Kohler/ Cera/ Duravit/Eros/R ak/ Kerovit	10	(Nos)		
	With Nuts					
	Installation: Inclusive of all accessories					

Se	Section VII: Specifications and Performance Requirements 92									
8	FRP Water Storage Tank	Jay/Simplex/ Sintex/ Polycast	4	(Nos)						
	Layer: Double Layer									
	Shape: Circular									
	Capacity: 2000 (L)									
	Grade: Premium grade material									
	Resistance: Ensuring resistance against winter temperature, leakage and durability									
	Weight: Light Weight									
	Hygienic Storage									
	Colour: Black/White									
	Installation: Inclusive of all accessories, provide opening for inlets, outlets, overflow outlets. Provide and fixing stainless steel drip tray underneath the water storage tank with drain off points connected to the nearest drain line		4	(Nos)						

Signature of the Bidder:

Section XI. Security Forms

Notes on Forms of Securities

Samples of acceptable forms of Bid, Performance, and Advance Payment Securities are provided in this section. Bidders should not complete the Performance and Advance Payment Security forms at this stage of the procurement process. Only the successful Bidder will be required to provide these two securities.

Form of Bid Security (Bank Guarantee)

[The **Bank/Bidder** shall fill in this Bank Guarantee form in accordance with the instructions indicated in brackets.]

[Bank's Name, and Address of Issuing Branch or Office]

Beneficiary: [Name and Address of Employer]

Date:

BID GUARANTEE No.:

We have been informed that *[name of the Bidder]* (hereinafter called "the Bidder") has submitted to you its Bid dated (hereinafter called "the Bid") for the execution of *[name of contract]* under Invitation for Bids No. *[IFB number]* ("the IFB").

Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.

At the request of the Bidder, we *[name of Bank]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in figures]* (*[amount in words]*) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:

- (a) has withdrawn its Bid during the period of Bid validity specified by the Bidder in the Form of Bid; or
- (b) having been notified of the acceptance of its Bid by the Employer during the period of Bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders.

This guarantee will expire: (a) if the Bidder is the successful Bidder, upon our receipt of copies of the Contract signed by the Bidder and the Performance Security issued to you upon the instruction of the Bidder; or (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful Bidder; or (ii) 30 days after the expiration of the Bidder's Bid.

Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

[signature(s)]

Performance Demand Bank Guarantee (Unconditional)

[The **bank/successful Bidder** providing the Guarantee shall fill in this form in accordance with the instructions indicated in brackets.]

[bank's name, and address of issuing branch or office]

Beneficiary: [name and address of Employer]

Date: [date]

PERFORMANCE GUARANTEE No.: [Performance Guarantee number]

We have been informed that [name of Contractor] (hereinafter called "the Contractor") has entered into Contract No. [reference number of the Contract] dated [date of Contract] with you, for the execution of [name of Contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Contractor, we *[name of Bank]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in figures]* (*[amount in words]*), such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without you needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire no later than 30 days from the date of issuance of the Certificate of Completion, calculated based on a copy of such Certificate which shall be provided to us, or on the *[number]* day of *[month]*, *[year]*, whichever occurs first. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this Guarantee for a period not to exceed [6 months][1 year], in response to the Employer's written request for such extension, such request to be presented to the Guarantor before the expiry of the Guarantee.

[signature(s) of an authorized representative(s) of the bank]

Bank Guarantee for Advance Payment

The **bank/successful Bidder** providing the Guarantee shall fill in this form in accordance with the instructions indicated in brackets.

[bank's name, and address of issuing branch or office]

Beneficiary: [name and address of Employer]

Date: [date]

ADVANCE PAYMENT GUARANTEE No.: [number]

We have been informed that [name of Contractor] (hereinafter called "the Contractor") has entered into Contract No. [reference number of the contract] dated [date of Contract] with you, for the execution of [name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, an advance payment is to be made against an advance payment guarantee in the sum or sums indicated below.

At the request of the Contractor, we *[name of Bank]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in figures]* (*[amount in words]*) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor used the Advance Payment for purposes other than the costs of mobilization in respect of the Works.

It is a condition for any claim and payment under this guarantee to be made that the Advance Payment referred to above must have been received by the Contractor in its account number [account number] at [name and address of Bank].

The maximum amount of this guarantee shall be progressively reduced by the amount of the Advance Payment repaid by the Contractor as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the Interim Payment Certificate indicating that eighty percent (80%) of the Contract Price has been certified for payment, or on the *[number]* day of *[month]*, *[year]*, whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. We agree to a one-time extension of this guarantee for a period not to exceed [6 months] [1 year], in response to the Employer's written request for such extension, such request to be presented to us before the expiry of the guarantee.

[insert signature(s) of authorized representative(s) of bank]

END OF DOCUMENT